

Suspensions, Ceiling lamps, Wall lamps,
Table lamps, Floor lamps.

Selection for designers and architects.

Light is about moments.

ideal lux. selection

Ideal Lux s.r.l.

Headquarter

Via Taglio Destro, 32
30035 Mirano — Venezia
P.I. / C.F. 02420040277
8.00 - 12.00 / 13.30 - 17.30

Warehouse

Via delle Industrie, 8/D
30036 Santa Maria di Sala — Venezia
8.00 - 12.00 / 13.00 - 17.00

E info@ideal-lux.com
T +39 041 5790500
F +39 041 8872349

Ig: [ideal.lux](https://www.instagram.com/ideal.lux)
Fb: [Ideal Lux](https://www.facebook.com/IdealLux)

www.ideal-lux.com

Copyright 2026 © IDEAL LUX S.r.l.
All rights reserved
Tutti i diritti sono riservati

This catalogue is a selection of our products designed for designers, architects, and lighting professionals. It has been conceived as a resource to guide you in your creative journey, offering inspiration and tools to quickly identify options that best suit your visions.

Our experience in balancing form and function is reflected in every product, offering lighting solutions that speak to both contemporary aesthetics and timeless functionality.

The Ideal Lux team is ready to accompany you on this journey.

Raffaele Strano, CEO

A handwritten signature in black ink, appearing to read 'Raffaele Strano', with a stylized, flowing script.

Light offers warmth, shelter, comfort, intimacy. Ideal Lux celebrates it through its products, essential lighting fixtures. The challenge it faces every day is to unite the design of the products and the immateriality of light to create personalized and unique spaces which can tell the story of those who animate them.

Anyone involved in the design of living spaces can find in Ideal Lux the ideal partner to define areas capable of telling the lives of their clients, creating contexts in which everyone becomes the protagonist of their own story. Environments that best represent the personality and taste of those who inhabit them.

Light is a form of pure energy that brings joy and not only allows us to see but also influences our mood and well-being.

Attention to people is central, which is why every lighting system is designed to enhance every moment and every place, giving the opportunity to express what is important to each of us.

Nowadays, light is no longer just functional for illuminating a space but elevates it, fully expressing the essence that the designer has sought to impart through geometries and materials.

Every space, when infused with the right light, takes on a deeper, more authentic, and vital meaning, recounting the different moments of our daily lives.



LIGHT IS

ABOUT MOMENTS

Since 1974, Ideal Lux has been passionately dedicated to creating lighting furnishing accessories capable of satisfying every need. The *Selection* collection gathers some of the more than 4000 products offered by the company, designed to embrace a modern and design-oriented taste.

LIGHT TALES

BOTH THE LIGHT
AND THE MOMENTS
CAN BE
FLEETING.
THE LIGHT
THAT DISAPPEARS
BY TURNING OFF
THE SWITCH,
THE MOMENTS
THAT PASS
IN THE BLINK
OF AN EYE.
ALL THIS
MAKES THEM
UNFORGETTABLE.

Attention and dedication to the customer are the very foundation of Ideal Lux. Our Customer Care represents a fundamental pillar within the company, with an emphasis on reliability as our core value. We place the needs of people at the top of our priorities.

For us, quality cannot exist without a warranty. We have extended the coverage to 5 years on all our lighting furnishing accessories, to ensure the highest standards in the products and services offered at all times.



ALPHABETICAL INDEX

ALMA

→ Wall 26

BEAN

→ Wall 32

BINOMIO

→ Ceiling 42
→ Wall 38
→ Table 42
→ Floor 42

BIRDS

→ Suspension 56
→ Ceiling 46
→ Wall 57
→ Table 57
→ Floor 50

CARTA

→ Suspension 58
→ Ceiling 66
→ Wall 66
→ Table 66

CLIP

→ Wall 68

COMET

→ Floor 74

COTTON

→ Suspension 80
→ Ceiling 88
→ Wall 91

COVER

→ Wall 92

DELTA

→ Wall 98

DIESIS

→ Suspension 115
→ Table 114
→ Floor 106

DODO

→ Wall 116
→ Floor 121

DORSALE

→ Floor 122

DYNAMITE

→ Suspension 134
→ Ceiling 128
→ Wall 134

EASY

→ Table 138
→ Floor 143

EGO

→ Floor 144

EQUINOXE

→ Suspension 154
→ Wall 167
→ Floor 158

ESSENCE

→ Suspension 178
→ Ceiling 178
→ Wall 168
→ Table 178
→ Floor 174

FLY

→ Ceiling 182

FOCUS

→ Wall 192

FUTURA

→ Table 198
→ Floor 205

GEMINI

→ Suspension 206
→ Ceiling 212

KALIQUE

→ Suspension 216

LITE

→ Wall 224

LOOK

→ Suspension 230
→ Ceiling 255
→ Wall 248
→ Floor 261

MAPA

→ Suspension	262
→ Ceiling	292
→ Wall	274
→ Table	276

MINT

→ Suspension	294
--------------	-----

MIX UP

→ Suspension	300
→ Ceiling	311
→ Floor	311

MOBY

→ Suspension	312
--------------	-----

NEMO

→ Suspension	318
--------------	-----

NINFEA

→ Ceiling	332
→ Wall	326
→ Table	335

NITRO

→ Ceiling	336
-----------	-----

ORACLE SLIM

→ Suspension	342
→ Ceiling	353

OZ

→ Suspension	354
→ Ceiling	360
→ Wall	371
→ Table	362

PERLAGE

→ Suspension	372
→ Ceiling	378
→ Wall	382
→ Table	384
→ Floor	386

PIANO

→ Wall	394
--------	-----

PIPE

→ Wall	400
--------	-----

RUDY

→ Ceiling	406
→ Wall	412

SET UP

→ Suspension	430
→ Ceiling	436
→ Wall	420
→ Table	424
→ Floor	416

SMARTIES

→ Suspension	440
→ Ceiling	446
→ Wall	449
→ Table	449

SPIKE

→ Ceiling	450
-----------	-----

WAVES

→ Suspension	456
--------------	-----

ZIG ZAG

→ Wall	464
--------	-----

ZIGGY

→ Ceiling	472
-----------	-----

SUSPENSIONS INDEX



DYNAMITE
P.134



DIESIS
P.115



BIRDS
P.56

CARTA
P.58



COTTON
P.80



MAPA
P.262

IDEAL LUX

SECTION INDEX



LOOK
P.230




GEMINI
P.206

KALIQUE
P.216



EQUINOXE
P.154



ESSENCE
P.178




MOBY
P.312

NEMO
P.318



MIX UP
P.300

ORACLE SLIM
P.342



MINT
P.294





WAVES
P.456



SMARTIES
P.440



SET UP
P.430

PERLAGE
P.372



OZ
P.354

CEILING LAMPS INDEX



COTTON
P.88



DYNAMITE
P.128

ESSENCE
P.178



CARTA
P.66



BIRDS
P.46

BINOMIO
P.42





MAPA
P.292



MIX UP
P.311



LOOK
P.255

GEMINI
P.212



FLY
P.182



OZ
P.360



ORACLE SLIM
P.353

NITRO
P.336



NINFEA
P.332



PERLAGE
P.378



SET UP
P.436



SMARTIES
P.446



ZIGGY
P.472



RUDY
P.406

SPIKE
P.450



WALL LAMPS INDEX



ALMA
P.26

BEAN
P.32



BIRDS
P.57



COTTON
P.91



BINOMIO
P.38



CARTA
P.66






ESSENCE
P.168

DODO
P.116



COVER
P.92



CLIP
P.68



DYNAMITE
P.134



EQUINOXE
P.167



DELTA
P.98





OZ
P.371



LOOK
P.248

MAPA
P.274



FOCUS
P.192



NINFEA
P.326



LITE
P.224



PIANO
P.394



SET UP
P.420



RUDY
P.412

SMARTIES
P.449



PERLAGE
P.382



PIPE
P.400



ZIG ZAG
P.464

TABLE LAMPS INDEX



CARTA
P.66



DIESIS
P.114



BINOMIO
P.42



BIRDS
P.57



ESSENCE
P.178

EASY
P.138



FUTURA
P.198





OZ
P.362



MAPA
P.276



SET UP
P.424

PERLAGE
P.384



NINFEA
P.335



SMARTIES
P.449

FLOOR LAMPS INDEX



BINOMIO
P.42



EASY
P.143



DODO
P.121



BIRDS
P.50



COMET
P.74

DORSALE
P.122



DIESIS
P.106





EGO
P.144



ESSENCE
P.174



EQUINOXE
P.158



MIX UP
P.311

LOOK
P.261



PERLAGE
P.386



FUTURA
P.205

SET UP
P.416





ALMA

Light fixture body in satin-finish
brass, chrome or white powder-
coated metal.
Fixed diffuser in opal-coloured
plastic.







WALL LAMPS INDOORS IDEAL LUX

ALMA




ALMA

WALL




IP20



FINISH	CODE	€
White	225029	181
Chrome	224992	181
Brass	225005	181

0,730 Kg
0,0258 m³
LED 18W / 2050 lm

LED LED source 3000 K,
30.000 h life



FINISH	CODE	€
White	224985	143
Chrome	224930	143
Brass	224954	143

0,650 Kg
0,0162 m³
LED 12,5W / 1350 lm

LED LED source 3000 K,
30.000 h life



BEAN

Base and adjustable diffuser
in plated or powder-coated metal.
Colours: white, black, brass or nickel
with black switch and joint.












BEAN


WALL



IP20




FINISH	CODE	€
White	260648	55
Nickel	260679	55
Black	260655	55
Brass	260662	55




LED source 3000 K,
30.000 h life.



0,180 Kg
0,0008 m³
LED 3W / 200 lm



FINISH	CODE	€
White	260600	55
Nickel	260631	55
Black	260617	55
Brass	260624	55



LED source 3000 K,
30.000 h life.




0,180 Kg
0,0007 m³
LED 3W / 200 lm

WALL




IP20

RECHARGEABLE WITH MAGNETIC MOUNTING



FINISH	CODE	€
White	350233	75
Nickel	364810	75
Black	350240	75
Brass	350264	75



LED source 3000 K,
50.000 h life.



0,310 Kg
0,0012 m³
LED 3W / 200 lm

Wall lamp with rechargeable
battery included.
Battery life: 8 hours.



BINOMIO

Metal frame. Diffusers in acid-etched white blown glass with screw fastening.

In the table version, spheres in transparent satin-finish acrylic with integrated power supply and PVC cable with switch. Finishes: white, black, brushed brass.










BINOMIO LED

WALL  IP20




FINISH	CODE	€
White	336534	110
Black	336664	110
Brass	336671	110

 LED source 3000 K,
50.000 h life.



0,680 Kg
0,0025 m³
LED 6W / 600 lm



FINISH	CODE	€
White	328270	100
Black	313252	100
Brass	328287	100

 LED source 3000 K,
50.000 h life.

0,540 Kg
0,0023 m³
LED 6W / 450 lm




BINOMIO LED

WALL / CEILING




IP20



FINISH	CODE	€
White	328232	170
Black	313283	170
Brass	328249	170

LED LED source 3000 K,
50.000 h life.

0,860 Kg
0,0035 m³
LED 12W / 900 lm



FINISH	CODE	€
White	328256	240
Black	313290	240
Brass	328263	240

LED LED source 3000 K,
50.000 h life.

1,290 Kg
0,0048 m³
LED 18W / 1350 lm

FLOOR



IP20



FINISH	CODE	€
White	328317	250
Black	313313	250
Brass	328324	250

LED LED source 3000 K,
50.000 h life.




2,500 Kg
0,0390 m³
LED 12W / 900 lm

TABLE



IP20



FINISH	CODE	€
White	328294	130
Black	313320	130
Brass	328300	130


LED LED source 3000 K,
50.000 h life.



1,150 Kg
0,0093 m³
LED 6W / 450 lm

BINOMIO

WALL



0,5000 Kg
0,0095 m³
G9 max 1 x 4W


(RECOMMENDED)

LUMEN	CCT	CODICE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	328478	55
Black	310664	55
Brass	311319	55

LED Bulbs LED G9 3W 3000 K
included. Cod. 209043

WALL / CEILING




1,550 Kg
0,0292 m³
G9 max 4 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	328454	130
Black	310688	130
Brass	328461	130

LED Bulbs LED G9 3W 3000 K
included. Cod. 209043



1,200 Kg
0,0155 m³
G9 max 2 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	328430	90
Black	310671	90
Brass	328447	90


LED Bulbs LED G9 3W 3000 K
included. Cod. 209043

BINOMIO

FLOOR



IP20



4,500 Kg
0,0572 m³
G9 max 3 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10


FINISH	CODE	€
White	353210	145
Black	369327	145
Brass	353265	145

 Bulbs LED G9 3W 3000 K
included. Cod. 209043

TABLE



IP20



1,200 Kg
0,0199 m³
G9 max 1 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	353203	58
Black	353302	58
Brass	353258	58

 Bulbs LED G9 3W 3000 K
included. Cod. 209043



BIRDS

Painted metal frame with decorative satin brass disc. Diffusers in white acid-etched lown glass. The table and floor versions come with a PVC cable with switch and plug. Colour: matt black with satin brass detail.





















BIRDS

SUSPENSION  IP20



2,750 Kg
0,1053 m³
G9 max 5 x 15W


(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
Black	273648	285

 Bulbs LED G9 3W 3000 K included. Cod. 209043

CEILING  IP20



2,800 Kg
0,1328 m³
G9 max 5 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
Black	273631	278



 Bulbs LED G9 3W 3000 K included. Cod. 209043

BIRDS

WALL



IP20



0,670 Kg
0,0108 m³
G9 max 1 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
Black		273655	73


 Bulbs LED G9 3W 3000 K included. Cod. 209043



TABLE



IP20



0,900 Kg
0,0163 m³
G9 max 1 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
Black		273679	86


 Bulbs LED G9 3W 3000 K included. Cod. 209043



FLOOR



IP20



5,640 Kg
0,1068 m³
G9 max 5 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
Black		273662	340

 Bulbs LED G9 3W 3000 K included. Cod. 209043





CARTA

Matt white painted metal frame.
Diffuser in polycarbonate with
paper-effect coating.




SUSPENSIONS INDOORS IDEAL LUX

CARTA















CARTA

SUSPENSION  IP20




2,750 Kg
0,2581 m³
E27 max 1 x 60W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
2210 lm	3000 K	151786	6,00
FINISH		CODE	€
White		272139	475




1,780 Kg
0,1489 m³
E27 max 1 x 25W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
950 lm	3000 K	101330	4,50
FINISH		CODE	€
White		226040	360



1,460 Kg
0,0814 m³
E27 max 1 x 25W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
950 lm	3000 K	101330	4,50
FINISH		CODE	€
White		226033	225



0,860 Kg
0,0369 m³
E27 max 1 x 25W


(RECOMMENDED)			
LUMEN	CCT	CODE	€
950 lm	3000 K	101330	4,50
FINISH		CODE	€
White		226026	110

CARTA

WALL / CEILING




IP20



1,150 Kg
0,0358 m³
E27 max 1 x 25W

(RECOMMENDED)


LUMEN	CCT	CODE	€
470 lm	3000 K	101279	2,00
FINISH		CODE	€
White		317113	110



0,500 Kg
0,0138 m³
E27 max 1 x 25W

(RECOMMENDED)

LUMEN	CCT	CODE	€
470 lm	3000 K	101279	2,00
FINISH		CODE	€
White		317106	85



0,200 Kg
0,0034 m³
G9 max 1 x 15W

(RECOMMENDED)


LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		317090	65

 Bulbs LED G9 3W 3000 K Cod. 209043

TABLE




IP20



0,950 Kg
0,0132 m³
E27 max 1 x 25W

(RECOMMENDED)

LUMEN	CCT	CODE	€
470 lm	3000 K	101279	2,00
FINISH		CODE	€
White		317168	80



0,400 Kg
0,0034 m³
G9 max 1 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		317151	60

 Bulbs LED G9 3W 3000 K Cod. 209043





CLIP

Light fixture body entirely in sheet metal with various finishes.
In the small version, diffusers in sandblasted Pyrex glass.













CLIP

WALL



IP20




1,370 Kg
0,0079 m³
E27 max 2 x 60W

(RECOMMENDED)

LUMEN	CCT	CODE	€
430 lm	3000 K	101279	2,00

FINISH	CODE	€
White	014166	107
Silver	088273	107
Chrome	031361	107
Gold	088266	107
Coffee	187365	107



0,730 Kg
0,0033 m³
G9 max 2 x 40W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	049236	95
Silver	091136	95
Chrome	049229	95
Gold	091129	95
Coffee	170923	95

 Bulbs LED G9 3W 3000 K
included. Cod. 209043

COMET

Powder-coated metal base and light body. Opal silicone diffuser. Touch switch integrated into the light body. PVC cable with driver and plug. Finishes: white, black.












COMET

FLOOR



IP20



3,800 Kg
0,0607 m³
LED 30W / 2950 lm

FINISH	CODE	€
White	304649	295
Black	304168	295

LED LED source 3000 K,
20.000 h life.





COTTON

Metal frame with white powder coating. Diffuser in white frosted blown glass. In the pendant version, the ceiling rose has a magnetic closure without screws and a transparent PVC cable; in the ceiling version, the diffuser is fixed with screws.





















COTTON


SUSPENSION



(RECOMMENDED)

LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50
FINISH		CODE	€
White		344591	365


4,600 Kg
0,1513 m³
E27 max 1 x 42W



(RECOMMENDED)

LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50
FINISH		CODE	€
White		327884	200


2,600 Kg
0,0810 m³
E27 max 1 x 42W



(RECOMMENDED)

LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50
FINISH		CODE	€
White		297767	135

2,100 Kg
0,0441 m³
E27 max 1 x 42W




(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		297781	70

Bulbs LED G9 3W 3000 K Cod. 209043

0,600 Kg
0,0076 m³
G9 max 1 x 4W


CEILING



(RECOMMENDED)

LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50
FINISH		CODE	€
White		327891	180

2,400 Kg
0,0810 m³
E27 max 1 x 42W



(RECOMMENDED)

LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50
FINISH		CODE	€
White		297743	125


1,800 Kg
0,0404 m³
E27 max 1 x 42W

COTTON

WALL



IP20




0,800 Kg
0,0147 m³
E14 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
410 lm	3000 K	101217	2,00

FINISH	CODE	€
White	352336	71




0,500 Kg
0,0076 m³
G9 max 1 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	352329	56

Bulbs LED G9 3W 3000 K Cod. 209043



0,300 Kg
0,0043 m³
GX53 max 1 x 9W

(RECOMMENDED)

LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00


FINISH	CODE	€
White	352312	51

Bulbs LED GX53 9W 3000 K Cod. 123936



COVER

Light body in white or black powder-coated aluminium. Diffuser in opal plastic material. Integrated LED light source with reflected light emission.












COVER

WALL / CEILING




IP20



FINISH	CODE	€
White	195711	100
Black	195759	100

LED source 3000 K,
30.000 h life.


0,690 Kg
0,0026 m³
LED 11W / 1100 lm



FINISH	CODE	€
White	195735	100
Black	195773	100

LED source 3000 K,
30.000 h life.


0,860 Kg
0,0028 m³
LED 11W / 1100 lm



FINISH	CODE	€
White	195704	88
Black	195742	88

LED source 3000 K,
30.000 h life.

0,390 Kg
0,0015 m³
LED 9,5W / 730 lm



FINISH	CODE	€
White	195728	88
Black	195766	88

LED source 3000 K,
30.000 h life.

0,510 Kg
0,0018 m³
LED 9,5W / 730 lm



DELTA

Powder-coated aluminium light body. Glossy opal polycarbonate diffusers. Light emission above and below. Colours: white, black or concrete.














DELTA LED


WALL  IP20



2,400 Kg
0,0120 m³
LED 37W
4300/4550 lm

FINISH	CCT	CODE	€
White	3000 K	287607	148
White	4000 K	307053	148
Black	3000 K	287591	148
Black	4000 K	307060	148
Concrete	3000 K	357126	148


 LED source 3000/4000 K,
35.000 h life.



0,900 Kg
0,0073 m³
LED 30W
3350/3500 lm

FINISH	CCT	CODE	€
White	3000 K	287621	128
White	4000 K	307039	128
Black	3000 K	287614	128
Black	4000 K	307046	128
Concrete	3000 K	357119	128


 LED source 3000/4000 K,
35.000 h life.



0,950 Kg
0,0062 m³
LED 19,5W
2200/2250 lm

FINISH	CCT	CODE	€
White	3000 K	287645	112
White	4000 K	307015	112
Black	3000 K	287638	112
Black	4000 K	307022	112
Concrete	3000 K	357096	112


 LED source 3000/4000 K,
35.000 h life.



0,580 Kg
0,0045 m³
LED 14W
1550/1650 lm

FINISH	CCT	CODE	€
White	3000 K	316789	82
White	4000 K	345192	82
Black	3000 K	345185	82
Black	4000 K	345208	82
Concrete	3000 K	369563	82

 LED source 3000/4000 K,
35.000 h life.



0,450 Kg
0,0033 m³
LED 10W
1100/1150 lm

FINISH	CCT	CODE	€
White	3000 K	345154	65
White	4000 K	345161	65
Black	3000 K	336510	65
Black	4000 K	345178	65
Concrete	3000 K	369501	65


 LED source 3000/4000 K,
35.000 h life.

DELTA

WALL



IP20




1,800 Kg
0,0102 m³
G9 max 8 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510	3000 K	305486	6,10

FINISH	CODE	€
White	366777	140
Black	369822	140

Bulbs LED G9 3W 3000 K Cod. 209043




1,400 Kg
0,0078 m³
G9 max 6 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510	3000 K	305486	6,10

FINISH	CODE	€
White	366760	107
Black	369778	107

Bulbs LED G9 3W 3000 K Cod. 209043




1,050 Kg
0,0058 m³
G9 max 5 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510	3000 K	305486	6,10

FINISH	CODE	€
White	366753	95
Black	369716	95

Bulbs LED G9 3W 3000 K Cod. 209043




0,740 Kg
0,0042 m³
G9 max 4 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510	3000 K	305486	6,10

FINISH	CODE	€
White	366746	67
Black	369679	67

Bulbs LED G9 3W 3000 K Cod. 209043



0,550 Kg
0,0030 m³
G9 max 3 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510	3000 K	305486	6,10

FINISH	CODE	€
White	366739	55
Black	369617	55

Bulbs LED G9 3W 3000 K Cod. 209043



DIESIS

Powder-coated or plated metal frame. Metal diffuser, adjustable in rotation and inclination in the table and floor versions. Black PVC cable; in the table and floor versions, there is a built-in switch. Colours: black, satin nickel or satin brass.


















DIESIS

SUSPENSION



IP20



FINISH	CODE	€
Nickel	285122	110
Black	279770	110
Brass	279794	110


LED source 3000 K,
20.000 h life.

0,450 Kg
0,0051 m³
LED 7W / 560 lm

TABLE



IP20



FINISH	CODE	€
Nickel	291093	150
Black	283333	150
Brass	291109	150

LED source 3000 K,
30.000 h life.



1,700 Kg
0,0224 m³
LED 6,5W / 500 lm

FLOOR



IP20



FINISH	CODE	€
Nickel	285337	180
Black	279800	180
Brass	285344	180

LED source 3000 K,
20.000 h life.



3,500 Kg
0,0218 m³
LED 4,5W / 390 lm



DODO

Base and light body in powder-coated or plated metal. Adjustable diffuser with replaceable LED light source. Finishes: white, black, brushed brass.

WALL FLOOR












DODO

WALL




IP20



(RECOMMENDED)


LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00



0,930 Kg
0,0037 m³
GX53 max 2 x 15W


FINISH	CODE	€
White	314136	68
Black	327938	68
Brass	327921	68

Bulbs LED GX53 9W 3000 K
Cod. 123936



(RECOMMENDED)

LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00



0,045 Kg
0,0017 m³
GX53 max 1 x 15W

FINISH	CODE	€
White	314105	36
Black	314099	36
Brass	314129	36

Bulbs LED GX53 9W 3000 K
Cod. 123936

FLOOR



IP20



(RECOMMENDED)

LUMEN	CCT	CODE	€
890 lm	3000 K	252551	9,00

FINISH	CODE	€
White	370422	140
Black	370477	140
Brass	352152	140

Bulbs LED GX53 9W 3000 K
Cod. 252551



2,200 Kg
0,0268 m³
GX53 max 1 x 9W



DORSALE

Metal frame with chrome or white or black matt varnish finish.
The arm is composed of three elements with square section.
PVC foil shade, available in chrome or coated with white or black fabric.












DORSALE


FLOOR



IP20



12,000 Kg
0,0091 m³
E27 max 1 x 60W



0,430 Kg
0,0709 m³

(RECOMMENDED)

LUMEN	CCT	CODE	€
1050 lm	3000 K	101347	6,00

FINISH	CODE	€
White	286686	605
Chrome	286662	605
Black	286679	605



SHADE

FINISH	CODE	€
White	046723	75
Chrome	041742	75
Black	046471	75



DYNAMITE

Metal frame finished with powder coating or plated and brushed. Adjustable diffusers. Fabric electrical cable. Suspension system with kit included for ceiling installation.












DYNAMITE ROUND


SUSPENSION IP20



2,700 Kg
0,0283 m³
GU10 max 6 x 28W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		231433	280
Black		231396	280
Brass		244648	280

 Bulbs LED GU10 7W
3000 K included. Cod. 123943





2,310 Kg
0,0192 m³
GU10 max 4 x 28W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		231372	220
Black		231341	220
Brass		244624	220

 Bulbs LED GU10 7W
3000 K included. Cod. 123943



WALL / CEILING IP20



0,980 Kg
0,0063 m³
GU10 max 4 x 28W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		367439	110
Black		371290	110
Brass		371306	110

 Bulbs LED GU10 7W
3000 K included. Cod. 123943




1,060 Kg
0,0074 m³
GU10 max 4 x 28W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		371337	115
Black		371344	115
Brass		371351	115

 Bulbs LED GU10 7W
3000 K included. Cod. 123943

DYNAMITE ROUND

WALL / CEILING




(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	367408	90
Black	371252	90
Brass	371269	90

0,790 Kg
0,0056 m³
GU10 max 3 x 28W

Bulbs LED GU10 7W
3000 K included. Cod. 123943




(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	367378	75
Black	367385	75
Brass	367392	75

0,510 Kg
0,0025 m³
GU10 max 2 x 28W

Bulbs LED GU10 7W
3000 K included. Cod. 123943




(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	231495	38
Black	231471	38
Brass	244662	38

0,430 Kg
0,0020 m³
GU10 max 1 x 28W

Bulbs LED GU10 7W
3000 K included. Cod. 123943



(RECOMMENDED)

LUMEN	CCT	CODE	€
280 lm	3000 K	339771	2,50


FINISH	CODE	€
White	347639	35
Black	347646	35
Brass	347653	35

0,150 Kg
0,0011 m³
GU10 max 1 x 28W

Bulbs LED GU10 4W
3000 K included. Cod. 339771

DYNAMITE SQUARE

SUSPENSION IP20




2,320 Kg
0,0271 m³
GU10 max 6 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		367460	290
Black		371412	290
Brass		371429	290

 Bulbs LED GU10 7W
3000 K included. Cod. 123943





1,650 Kg
0,0179 m³
GU10 max 4 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		367453	225
Black		371382	225
Brass		371399	225

 Bulbs LED GU10 7W
3000 K included. Cod. 123943

WALL / CEILING IP20





1,150 Kg
0,0063 m³
GU10 max 4 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		367446	120
Black		371313	120
Brass		371320	120

 Bulbs LED GU10 7W
3000 K included. Cod. 123943



1,220 Kg
0,0074 m³
GU10 max 4 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		367422	120
Black		371368	120
Brass		371375	120


 Bulbs LED GU10 7W
3000 K included. Cod. 123943

DYNAMITE SQUARE

WALL / CEILING



IP20




(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	367415	95
Black	371276	95
Brass	371283	95

0,920 Kg
0,0056 m³
GU10 max 3 x 28W

Bulbs LED GU10 7W
3000 K included. Cod. 123943




(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	371221	80
Black	371238	80
Brass	371245	80

0,61 Kg
0,0025 m³
GU10 max 2 x 28W

Bulbs LED GU10 7W
3000 K included. Cod. 123943



(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	371160	40
Black	371191	40
Brass	371214	40

0,430 Kg
0,0020 m³
GU10 max 1 x 28W

Bulbs LED GU10 7W
3000 K included. Cod. 123943



EASY

Matt painted or plated metal frame.
Adjustable diffuser with satin acrylic optics. PVC cable with switch and driver integrated into the plug.
Finishes: white, black, brushed brass.










EASY

TABLE



IP20



1,200 Kg
0,0186 m³
LED 3,5W / 200 lm

FINISH	CODE	€
White	295510	90
Black	295534	90
Brass	295541	90


LED LED source 3000 K,
50.000 h life.



FLOOR



IP20



3,000 Kg
0,0190 m³
LED 3,5W / 200 lm

FINISH	CODE	€
White	295473	130
Black	295497	130
Brass	295503	130

LED LED source 3000 K,
50.000 h life.





EGO

Powder-coated aluminium body and profile. Modular light sources with Ego series light modules (maximum consumption 95 W, maximum total length 1250 mm), non-dimmable or dimmable 1-10 V. Dimmer included, integrated on the track. Plastic profile cover included, can be cut to size. PVC cable. Colour: black.












EGO

FLOOR

IP20



10,600 Kg
0,0259 m³

FINISH	CODE	€
Black	344775	300

LED Composable light sources with light modules 1-10V from the Ego series (max 95 W, total length 1250 mm)




EGO SPOT SINGLE

RECOM. MODULES



IP20 MacAdam: SDCM 3 CRI: ≥90 LED LIFE: 50.000 h




0,180 Kg
0,0018 m³

LED COB CITIZEN

POWER	BEAM	CONTROL	LUMEN	CCT	FINISH	CODE	€
8 W	30°	On-Off	700 lm	2700 K	Black	340388	97
8 W	30°	On-Off	850 lm	3000 K	White	282985	97
8 W	30°	On-Off	850 lm	3000 K	Black	257631	97
8 W	30°	On-Off	1050 lm	4000 K	Black	317984	97
8 W	30°	1-10V	850 lm	3000 K	White	303697	110
8 W	30°	1-10V	850 lm	3000 K	Black	303680	110
8 W	30°	DALI	700 lm	2700 K	Black	340364	135
8 W	30°	DALI	850 lm	3000 K	White	286426	135
8 W	30°	DALI	850 lm	3000 K	Black	286419	135

LED SMD OSRAM

POWER	BEAM	CONTROL	LUMEN	CCT	FINISH	CODE	€
3 W	30°	On-Off	250 lm	3000 K	White	282978	82
3 W	30°	On-Off	250 lm	3000 K	Black	257617	82
3 W	30°	On-Off	300 lm	4000 K	Black	317977	82
3 W	30°	1-10V	250 lm	3000 K	White	303673	100
3 W	30°	1-10V	250 lm	3000 K	Black	303666	100
3 W	30°	DALI	250 lm	3000 K	White	286402	125
3 W	30°	DALI	250 lm	3000 K	Black	286396	125



0,150 Kg
0,0018 m³

EGO SPOT DOUBLE

RECOM. MODULES




IP20

MacAdam: SDCM 3

CRI: ≥90


LED LIFE: 50.000 h



0,450 Kg
0,0019 m³

LED COB CITIZEN

POWER	BEAM	CONTROL	LUMEN	CCT	FINISH	CODE	€
16 W	30°	On-Off	1400 lm	2700 K	Black	340265	138
16 W	30°	On-Off	1700 lm	3000 K	White	282954	138
16 W	30°	On-Off	1700 lm	3000 K	Black	257648	138
16 W	30°	On-Off	2100 lm	4000 K	Black	321806	138
16 W	30°	1-10V	1700 lm	3000 K	White	303635	150
16 W	30°	1-10V	1700 lm	3000 K	Black	303628	150
16 W	30°	DALI	1400 lm	2700 K	Black	340241	180
16 W	30°	DALI	1700 lm	3000 K	White	286365	180
16 W	30°	DALI	1700 lm	3000 K	Black	286358	180



0,220 Kg
0,0019 m³

LED SMD OSRAM

POWER	BEAM	CONTROL	LUMEN	CCT	FINISH	CODE	€
5 W	30°	On-Off	500 lm	3000 K	White	282947	102
5 W	30°	On-Off	500 lm	3000 K	Black	257624	102
5 W	30°	On-Off	600 lm	4000 K	Black	321714	102
5 W	30°	1-10V	500 lm	3000 K	White	303611	117
5 W	30°	1-10V	500 lm	3000 K	Black	303604	117
5 W	30°	DALI	500 lm	3000 K	White	286341	148
5 W	30°	DALI	500 lm	3000 K	Black	286334	148

EGO WIDE

RECOM. MODULES



IP20


MacAdam: SDCM 3

CRI: ≥ 90

LED LIFE: 50.000 h



0,900 Kg
0,0035 m³



LED SMD SAMSUNG

POWER	BEAM	CONTROL	LUMEN	CCT	FINISH	CODE	€
26 W	110°	On-Off	2700 lm	2700 K	Black	340623	148
26 W	110°	On-Off	3400 lm	3000 K	White	283043	148
26 W	110°	On-Off	3400 lm	3000 K	Black	257730	148
26 W	110°	On-Off	4000 lm	4000 K	Black	322070	148
26 W	110°	1-10V	3400 lm	3000 K	White	303833	160
26 W	110°	1-10V	3400 lm	3000 K	Black	303826	160
26 W	110°	DALI	2700 lm	2700 K	Black	340609	185
26 W	110°	DALI	3400 lm	3000 K	White	286549	185
26 W	110°	DALI	3400 lm	3000 K	Black	286532	185

0,520 Kg
0,0018 m³



LED SMD SAMSUNG

POWER	BEAM	CONTROL	LUMEN	CCT	FINISH	CODE	€
13 W	110°	On-Off	1350 lm	2700 K	Black	340586	102
13 W	110°	On-Off	1700 lm	3000 K	White	283036	102
13 W	110°	On-Off	1700 lm	3000 K	Black	257716	102
13 W	110°	On-Off	2000 lm	4000 K	Black	322056	102
13 W	110°	1-10V	1700 lm	3000 K	White	303819	130
13 W	110°	1-10V	1700 lm	3000 K	Black	303802	130
13 W	110°	DALI	1350 lm	2700 K	Black	340562	145
13 W	110°	DALI	1700 lm	3000 K	White	286525	145
13 W	110°	DALI	1700 lm	3000 K	Black	286518	145

EGO WIDE

RECOM. MODULES



IP20


MacAdam: SDCM 3

CRI: ≥ 90

LED LIFE: 50.000 h



0,200 Kg
0,0011 m³




LED SMD SAMSUNG

POWER	BEAM	CONTROL	LUMEN	CCT	FINISH	CODE	€
7 W	110°	On-Off	850 lm	3000 K	White	283029	76
7 W	110°	On-Off	850 lm	3000 K	Black	257709	76
7 W	110°	On-Off	1000 lm	4000 K	Black	317960	76
7 W	110°	1-10V	850 lm	3000 K	White	303796	120
7 W	110°	1-10V	850 lm	3000 K	Black	303789	120
7 W	110°	DALI	850 lm	3000 K	White	286501	125
7 W	110°	DALI	850 lm	3000 K	Black	286495	125

EQUINOXE

Plated metal structure. Clear borosilicate glass diffusers. The suspension and floor versions come with a black PVC cable. Colors: chrome structure with clear or smoky glass, antique brass structure with clear glass or amber glass.









EQUINOXE

SUSPENSIONS INDOORS IDEAL LUX















EQUINOXE

SUSPENSION



IP20



Chrome




Brass



Smoky Grey



Amber




5,540 Kg
0,1562 m³
G4 max 12 x 2W

(RECOMMENDED)

LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	200118	850
Brass	200125	850
Smoky Grey	345390	850
Amber	345383	850

Bulbs LED G4 2W 3000 K
included. Cod. 222257



5,200Kg
0,1133 m³
G4 max 8 x 2W

(RECOMMENDED)


LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	275178	825
Brass	275215	825
Smoky Grey	345437	825
Amber	345420	825

Bulbs LED G4 2W 3000 K
included. Cod. 222257

EQUINOXE

SUSPENSION  IP20




7,000 Kg
0,1334 m³
G4 max 6 x 2W

(RECOMMENDED)

LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	317250	715
Brass	317243	715
Smoky Grey	345413	715
Amber	345406	715

 Bulbs LED G4 2W 3000 K included. Cod. 222257




2,620 Kg
0,0618 m³
G4 max 3 x 2W

(RECOMMENDED)

LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	339696	400
Brass	339702	400
Smoky Grey	364834	400
Amber	364827	400

 Bulbs LED G4 2W 3000 K included. Cod. 222257




0,850 Kg
0,0400 m³
G4 max 1 x 2W

(RECOMMENDED)

LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	306551	165
Brass	277394	165
Smoky Grey	345376	165
Amber	326368	165

 Bulbs LED G4 2W 3000 K included. Cod. 222257




0,700 Kg
0,0185 m³
G4 max 1 x 2W

(RECOMMENDED)

LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	306544	154
Brass	277387	154
Smoky Grey	345369	154
Amber	345352	154

 Bulbs LED G4 2W 3000 K included. Cod. 222257



0,640 Kg
0,0087 m³
G4 max 1 x 2W

(RECOMMENDED)

LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	306537	132
Brass	277370	132
Smoky Grey	326351	132
Amber	345345	132


 Bulbs LED G4 2W 3000 K included. Cod. 222257

EQUINOXE

WALL



IP20



0,990 Kg
0,0147 m³
G4 max 1 x 2W

(RECOMMENDED)

LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	200132	145
Brass	200149	145
Smoky Grey	345338	145
Amber	345321	145




Bulbs LED G4 2W 3000 K
included. Cod. 222257

FLOOR



IP20



6,500 Kg
0,0928 m³
G4 max 4 x 2W

(RECOMMENDED)

LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00

FINISH	CODE	€
Chrome	290959	550
Brass	290966	550
Smoky Grey	348292	550
Amber	348285	550



Bulbs LED G4 2W 3000 K
included. Cod. 222257





ESSENCE

Light fixture body in aluminium or powder-coated metal, also available in a plated version for the floor lamp. Diffuser in opal acrylic or satin opal PC, depending on the model. In the floor version, there is a power supply base, black PVC support cable and cable with plug. Colours: white, black, brass.



WALL LAMPS INDOORS IDEAL LUX

ESSENCE



















ESSENCE ROUND

SUSPENSION  IP20




FINISH	CCT	CODE	€
White	3000 K	285085	220
Black	2700 K	341033	220
Black	3000 K	285092	220
Black	4000 K	341040	220
Brass	3000 K	371795	220

 LED source
2700/3000/4000 K,
30.000 h life.

0,650 Kg
0,0121 m³
LED 19W
2100/2350 lm


WALL / CEILING  IP20



FINISH	CCT	CODE	€
White	3000 K	265575	195
Black	2700 K	341019	195
Black	3000 K	285108	195
Black	4000 K	341026	195
Brass	3000 K	371719	195

 LED source
2700/3000/4000 K,
30.000 h life.


1,040 Kg
0,0151 m³
LED 19W
2100/2350 lm



FINISH	CCT	CODE	€
White	3000 K	285115	145
Black	2700 K	340999	145
Black	3000 K	265643	145
Black	4000 K	341002	145
Brass	3000 K	371665	145

 LED source
2700/3000/4000 K,
30.000 h life.

0,520 Kg
0,0151 m³
LED 12W
1300/1450 lm



FINISH	CODE	€
White	327778	180
Black	310152	180
Brass	327785	180

 LED source 3000 K,
20.000 h life.


0,610 Kg
0,0125 m³
LED 16W / 1800 lm

ESSENCE ROUND

WALL / CEILING



IP20



0,500 Kg
0,0084 m³
LED 13W / 1300 lm


FINISH	CODE	€
White	310138	155
Black	310145	155
Brass	327792	115

LED LED source 3000 K,
20.000 h life.

FLOOR




IP20



1,200 Kg
0,0102 m³
LED 16,5W
1500/1800 lm

FINISH	CCT	CODE	€
White	2700 K	341118	210
White	3000 K	301051	210
Black	2700 K	341125	210
Black	3000 K	301068	210
Brass	2700 K	341132	210
Brass	3000 K	301075	210

LED LED source 2700/3000 K,
20.000 h life.



1,600 Kg
0,0372 m³
LED 24W / 2400 lm

FINISH	CODE	€
White	367163	220
Black	371740	220


LED LED source 3000 K,
30.000 h life.



TABLE



IP20



0,700 Kg
0,0053 m³
LED 11W / 1150 lm


FINISH	CODE	€
White	367149	120
Black	371870	120

LED LED source 3000 K,
30.000 h life.



ESSENCE SQUARE

SUSPENSION




0,830 Kg
0,0174 m³
LED 19W / 2250 lm

FINISH	CODE	€
White	367064	220
Black	371825	220
Brass	371856	220

LED LED source 3000 K,
30.000 h life.


WALL / CEILING



0,600 Kg
0,0181 m³
LED 19W / 2000 lm

FINISH	CODE	€
White	327945	165
Black	311784	165
Brass	371726	165

LED LED source 3000 K,
30.000 h life.




0,520 Kg
0,0112 m³
LED 12W / 1250 lm

FINISH	CODE	€
White	311777	140
Black	311760	140
Brass	371689	140

LED LED source 3000 K,
30.000 h life.

ESSENCE SQUARE

FLOOR




FINISH	CODE	€
White	367170	220
Black	371771	220

- LED source 3000 K, 30.000 h life.
- Power button icon
- Dimmer icon

1,360 Kg
0,0249 m³
LED 24W / 2400 lm

TABLE



FINISH	CODE	€
White	367156	120
Black	371900	120

- LED source 3000 K, 30.000 h life.
- Power button icon
- Dimmer icon

0,550 Kg
0,0044 m³
LED 11W / 1150 lm







FLY

Family composed by ceiling lamps with circular base, available with four different diameters (350 mm, 450 mm, 600 mm, 900 mm) and also in SLIM version with a more compact height. Powder coated aluminum body with white finish RAL 9016 and black finish RAL 9004, recessed optics (FLY PL) or flush (FLY SLIM) with PMMA microprismatic diffuser with glare control (UGR < 19). The lamp is ready to be integrated with the uplight accessory module for the indirect light part.














13,000 Kg
0,1470 m³

KIT PENDANT
(OPTIONAL)
White
cod. 254289, € 50
Black
cod. 307244, € 50

LED SMD SAMSUNG, DRIVER TRIDONIC ON/OFF (INCLUDED)

POWER	BEAM	LUMEN	CCT	FINISH	CODE	€
68 W	87°	8000 lm	2700 K	White	341200	1180
68 W	87°	8000 lm	2700 K	Black	341217	1180
68 W	87°	8800 lm	3000 K	White	270326	1180
68 W	87°	8800 lm	3000 K	Black	306629	1180
68 W	87°	9300 lm	4000 K	White	270241	1180
68 W	87°	9300 lm	4000 K	Black	306636	1180


DIMMABLE DRIVER (NOT INCLUDED/OPTIONAL)

	POWER	OUTPUT	MEASURE	CODE	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

UPLIGHT (NOT INCLUDED/OPTIONAL)

POWER	BEAM	LUMEN	CCT	CODE	€
25 W	120°	3150 lm	3000 K	271002	225
25 W	120°	3650 lm	4000 K	270715	225

LED SMD SAMSUNG, DRIVER TRIDONIC ON/OFF (INCLUDED)



7,200 Kg
0,0709 m³


KIT PENDANT
(OPTIONAL)
White
cod. 254289, € 50
Black
cod. 307244, € 50

DIMMABLE DRIVER (NOT INCLUDED/OPTIONAL)

	POWER	OUTPUT	MEASURE	CODE	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135

UPLIGHT (NOT INCLUDED/OPTIONAL)

POWER	BEAM	LUMEN	CCT	CODE	€
17,5 W	120°	2150 lm	3000 K	270401	150
17,5 W	120°	2650 lm	4000 K	270265	150



3,800 Kg
0,0257 m³

KIT PENDANT
(OPTIONAL)
White
cod. 254289, € 50
Black
cod. 307244, € 50

LED SMD SAMSUNG, DRIVER TRIDONIC ON/OFF (INCLUDED)

POWER	BEAM	LUMEN	CCT	FINISH	CODE	€
26 W	87°	3300 lm	2700 K	White	341163	420
26 W	87°	3300 lm	2700 K	Black	341170	420
26 W	87°	3350 lm	3000 K	White	254272	420
26 W	87°	3350 lm	3000 K	Black	306599	420
26 W	87°	3700 lm	4000 K	White	270296	420
26 W	87°	3700 lm	4000 K	Black	306605	420


DIMMABLE DRIVER (NOT INCLUDED/OPTIONAL)

	POWER	OUTPUT	MEASURE	CODE	€
1-10V / Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI / Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

UPLIGHT (NOT INCLUDED/OPTIONAL)

POWER	BEAM	LUMEN	CCT	CODE	€
11 W	120°	1400 lm	3000 K	270258	85
11 W	120°	1500 lm	4000 K	270395	85

LED SMD SAMSUNG, DRIVER TRIDONIC ON/OFF (INCLUDED)



3,000 Kg
0,0176 m³

KIT PENDANT
(OPTIONAL)
White
cod. 254289, € 50
Black
cod. 307244, € 50

POWER	BEAM	LUMEN	CCT	FINISH	CODE	€
18 W	87°	1800 lm	2700 K	White	341149	315
18 W	87°	1800 lm	2700 K	Black	341156	315
18 W	87°	2500 lm	3000 K	White	270272	315
18 W	87°	2500 lm	3000 K	Black	306575	315
18 W	87°	2700 lm	4000 K	White	270289	315
18 W	87°	2700 lm	4000 K	Black	306582	315

DIMMABLE DRIVER (NOT INCLUDED/OPTIONAL)


	POWER	OUTPUT	MEASURE	CODE	€
1-10V / Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	108 x 22 x 52 mm	270364	85

UPLIGHT (NOT INCLUDED/OPTIONAL)

POWER	BEAM	LUMEN	CCT	CODE	€
11 W	120°	1050 lm	3000 K	270258	85
11 W	120°	1150 lm	4000 K	270395	85

FLY SLIM

WALL / CEILING  IP40 MacAdam: SDCM 3 UGR: <19 CRI >90 LED LIFE: 50.000 h



13,000 Kg
0,1500 m³

KIT PENDANT
(OPTIONAL)
White
cod. 254289, € 50

LED SMD SAMSUNG, DRIVER TRIDONIC ON/OFF (INCLUDED)


POWER	BEAM	LUMEN	CCT	FINISH	CODE	€
68 W	87°	8000 lm	2700 K	White	341255	750
68 W	87°	8800 lm	3000 K	White	306681	750
68 W	87°	9300 lm	4000 K	White	306698	750

DIMMABLE DRIVER (NOT INCLUDED/OPTIONAL)

	POWER	OUTPUT	MEASURE	CODE	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

UPLIGHT (NON INCLUSO/OPTIONAL)

POWER	BEAM	LUMEN	CCT	CODE	€
25 W	120°	3150 lm	3000 K	271002	225
25 W	120°	3300 lm	4000 K	270715	225



6,150 Kg
0,0825 m³

KIT PENDANT
(OPTIONAL)
White
cod. 254289, € 50

LED SMD SAMSUNG, DRIVER TRIDONIC ON/OFF (INCLUDED)

POWER	BEAM	LUMEN	CCT	FINISH	CODE	€
53 W	87°	5300 lm	2700 K	White	341248	425
53 W	87°	6250 lm	3000 K	White	292250	425
53 W	87°	6700 lm	4000 K	White	306674	425

DIMMABLE DRIVER (NOT INCLUDED/OPTIONAL)

	POWER	OUTPUT	MEASURE	CODE	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135

UPLIGHT (NOT INCLU/OPTIONAL)


POWER	BEAM	LUMEN	CCT	CODE	€
17,5 W	120°	2150 lm	3000 K	270401	150
17,5 W	120°	2300 lm	4000 K	270265	150

FLY SLIM

WALL / CEILING



IP40 MacAdam: SDCM 3 UGR: <19 CRI >90 LED LIFE: 50.000 h



3,750 Kg
0,0196 m³

KIT PENDANT
(OPTIONAL)
White
cod. 254289, € 50

LED SMD SAMSUNG, DRIVER TRIDONIC ON/OFF (INCLUDED)


POWER	BEAM	LUMEN	CCT	FINISH	CODE	€
26 W	87°	3300 lm	2700 K	White	341231	390
26 W	87°	3350 lm	3000 K	White	292236	390
26 W	87°	3700 lm	4000 K	White	306667	390

DIMMABLE DRIVER (NOT INCLUDED/OPTIONAL)

	POWER	OUTPUT	MEASURE	CODE	€
1-10V / Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI / Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

UPLIGHT (NOT INCLUDED/OPTIONAL)

POWER	BEAM	LUMEN	CCT	CODE	€
11 W	120°	1400 lm	3000 K	270258	85
11 W	120°	1500 lm	4000 K	270395	85



2,700 Kg
0,0108 m³

KIT PENDANT
(OPTIONAL)
White
cod. 254289, € 50

LED SMD SAMSUNG, DRIVER TRIDONIC ON/OFF (INCLUDED)

POWER	BEAM	LUMEN	CCT	FINISH	CODE	€
18 W	87°	1800 lm	2700 K	White	341224	295
18 W	87°	2500 lm	3000 K	White	306643	295
18 W	87°	2700 lm	4000 K	White	306650	295

DIMMABLE DRIVER (NOT INCLUDED/OPTIONAL)

	POWER	OUTPUT	MEASURE	CODE	€
1-10V / Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	120 x 30 x 52 mm	270364	85

UPLIGHT (NOT INCLUDED/OPTIONAL)

POWER	BEAM	LUMEN	CCT	CODE	€
11 W	120°	1050 lm	3000 K	270258	85
11 W	120°	1150 lm	4000 K	270395	85



FOCUS

Metal body with adjustable arm coated with rubber. Finished in white or black matt colour or in grey with chrome details.










FOCUS

WALL




IP20



0,400 Kg
0,0026 m³
LED 4W / 310 lm

FINISH	CODE	€
White	097183	65
Chrome	097206	65
Black	097190	65

 LED source 3000 K,
30.000 h life.



0,410 Kg
0,0018 m³
LED 3,5W / 280 lm

FINISH	CODE	€
White	203171	70
Chrome	203188	70
Black	203195	70

 LED source 3000 K,
20.000 h life.





FUTURA

Articulated aluminum and plastic arm with PVC exposed wire.
Adjustable LED diffuser and integrated switcher.
Plug with power supply.














FUTURA

TABLE



IP20



1,830 Kg
0,0071 m³
LED 12,5W / 1050 lm

FINISH	CODE	€
White	272078	100
Aluminum	204895	100
Black	204888	100


 LED source 4000 K,
25.000 h life.



FLOOR



IP20



4,440 Kg
0,0100 m³
LED 12,5W / 1050 lm

FINISH	CODE	€
White	272085	125
Aluminum	204956	125
Black	204949	125

 LED source 4000 K,
25.000 h life.





GEMINI

Powder coated or plated metal ceiling rose and body.
Opal polycarbonate diffuser.
Clear PVC cable. Available finishes: white, black or brushed brass.
DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.
















GEMINI


SUSPENSION  IP20



4,000 Kg
0,1283 m³
LED 78W
8600/9100 lm

ON-OFF				
FINISH	CCT	CODE	€	
White	2700 K	341613	585	
White	3000 K	303895	585	
White	4000 K	372211	585	
Black	2700 K	341620	585	
Black	3000 K	307695	585	
Black	4000 K	372228	585	
Brass	2700 K	341637	585	
Brass	3000 K	307701	585	
Brass	4000 K	372235	585	

 LED source
2700/3000/4000 K,
50.000 h life.




2,300 Kg
0,0757 m³
LED 55/56W
6200/6600 lm

ON-OFF				
FINISH	CCT	CODE	€	
White	2700 K	341583	380	
White	3000 K	247274	380	
White	4000 K	372181	380	
Black	2700 K	341590	380	
Black	3000 K	247281	380	
Black	4000 K	372198	380	
Brass	2700 K	341606	380	
Brass	3000 K	269849	380	
Brass	4000 K	372204	380	

DALI/PUSH		
FINISH	CODE	€
White	304748	480
Black	304724	480
Brass	304731	480

 LED source
2700/3000/4000 K,
50.000 h life.




1,710 Kg
0,0423 m³
LED 47W
4950/5400 lm

ON-OFF				
FINISH	CCT	CODE	€	
White	2700 K	341552	300	
White	3000 K	247250	300	
White	4000 K	372150	300	
Black	2700 K	341569	300	
Black	3000 K	247267	300	
Black	4000 K	372167	300	
Brass	2700 K	341576	300	
Brass	3000 K	269832	300	
Brass	4000 K	372174	300	

DALI/PUSH		
FINISH	CODE	€
White	304717	380
Black	304694	380
Brass	304700	380

 LED source
2700/3000/4000 K,
50.000 h life.




1,450 Kg
0,0216 m³
LED 36W
4000/4350 lm

ON-OFF				
FINISH	CCT	CODE	€	
White	2700 K	341521	215	
White	3000 K	247229	215	
White	4000 K	372129	215	
Black	2700 K	341538	215	
Black	3000 K	247236	215	
Black	4000 K	372136	215	
Brass	2700 K	341545	215	
Brass	3000 K	247243	215	
Brass	4000 K	372143	215	

 LED source
2700/3000/4000 K,
50.000 h life.

GEMINI

WALL / CEILING



4,800 Kg
0,0939 m³
LED 42W
4150/4550 lm


ON-OFF

FINISH	CCT	CODE	€
White	2700 K	341491	415
White	3000 K	328072	415
White	4000 K	372099	415
Black	2700 K	341507	415
Black	3000 K	328089	415
Black	4000 K	372105	415
Brass	2700 K	341514	415
Brass	3000 K	328096	415
Brass	4000 K	372112	415

DALI/PUSH

FINISH	CODE	€
White	328973	515
Black	328980	515
Brass	329260	515

LED source
2700/3000/4000 K,
50.000 h life.




1,900 Kg
0,0265 m³
LED 24W
2450/3000 lm

ON-OFF

FINISH	CCT	CODE	€
White	2700 K	341439	235
White	3000 K	328010	235
White	4000 K	372037	235
Black	2700 K	341446	235
Black	3000 K	328027	235
Black	4000 K	372044	235
Brass	2700 K	341453	235
Brass	3000 K	328034	235
Brass	4000 K	372051	235

LED source
2700/3000/4000 K,
50.000 h life.



3,200 Kg
0,0558 m³
LED 30W
3000/3600 lm

LED 28W
3500 lm

ON-OFF

FINISH	CODE	€
White 2700 K	341460	320
White 3000 K	328041	320
White 4000 K	372068	320
Black 2700 K	341477	320
Black 3000 K	328058	320
Black 4000 K	372075	320
Brass 2700 K	341484	320
Brass 3000 K	328065	320
Brass 4000 K	372082	320

DALI/PUSH

FINISH	CODE	€
White	328942	405
Black	328959	405
Brass	328966	405

LED source
2700/3000/4000 K,
50.000 h life.



KALIQUE

Magnetic metal ceiling rose in chrome. Diffuser with double blown borosilicate glass: one internal satin finish, one external transparent finish in various finishes. PVC cable. Glass colours: amber, light blue, smoky, transparent or copper.















KALIQUE

SUSPENSION



IP20



Smoky Grey



Clear




Amber



Light Blue



Copper




1,080 Kg
0,0698 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1100 lm	3000 K	101323	4,50

FINISH	CODE	€
Smoky Grey	359465	300
Clear	359571	300
Amber	359526	300
Light Blue	359588	300
Copper	359540	300




0,650 Kg
0,0250 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50

FINISH	CODE	€
Smoky Grey	359861	110
Clear	359939	110
Amber	359885	110
Light Blue	359960	110
Copper	359915	110




1,170 Kg
0,0735 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1100 lm	3000 K	101323	4,50

FINISH	CODE	€
Smoky Grey	359618	330
Clear	359670	330
Amber	359632	330
Light Blue	359694	330
Copper	359663	330




0,710 Kg
0,0269 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50

FINISH	CODE	€
Smoky Grey	359984	115
Clear	360034	115
Amber	360003	115
Light Blue	360041	115
Copper	360027	115




1,260 Kg
0,0809 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1100 lm	3000 K	101323	4,50

FINISH	CODE	€
Smoky Grey	359724	395
Clear	359793	395
Amber	359748	395
Light Blue	359816	395
Copper	359779	395



0,740 Kg
0,0294 m³
E27 max 1 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50

FINISH	CODE	€
Smoky Grey	353616	125
Clear	360072	125
Amber	360058	125
Light Blue	360089	125
Copper	360065	125



LITE

Aluminium base and light body with white, black or brass finish.
Adjustable diffuser. Built-in switch.
Recessed installation on type 502 junction box, not included.













LITE

WALL



IP20



FINISH	CODE	€
White	250106	69
Black	250113	69
Brass	250120	69



LED source 3000 K,
20.000 h life.




0,340 Kg
0,0008 m³
LED 3W / 200 lm

LOOK


Metal frame with matt, powder-coated or plated finishes. Diffusers available in different versions: metal with various finishes or transparent glass depending on the model. In the suspension and ceiling versions, the cable is made of PVC. In the floor version, there is a PVC cable and power supply with dimmer. Colours: white, black, brass, transparent, silver, gold, chrome, burnished, copper, coffee, alabaster or gypsum.








































LOOK LED ROUND

SUSPENSION



IP20



0,670 Kg
0,0100 m³
LED 11,5W / 1200 lm


ON-OFF

FINISH	CCT	CODE	€
White	3000 K	142906	145
Black	3000 K	142913	145
Brass	3000 K	339733	145

DALI/PUSH

FINISH	CODE	€
Black	321783	210

LED source 3000 K, 30.000 h life.




0,800 Kg
0,0139 m³
LED 11,5W / 1200 lm

ON-OFF

FINISH	CCT	CODE	€
White	3000 K	371115	115
Black	3000 K	371122	115
Brass	3000 K	352121	115

LED source 3000 K, 50.000 h life.



0,460 Kg
0,0036 m³
LED 11,5W / 1200 lm


ON-OFF

FINISH	CCT	CODE	€
White	3000 K	156682	110
Black	3000 K	156699	110
Brass	3000 K	339726	110

DALI/PUSH

FINISH	CODE	€
Black	321813	180

LED source 3000 K, 30.000 h life.



0,570 Kg
0,0056 m³
LED 11,5W / 1200 lm


ON-OFF

FINISH	CCT	CODE	€
White	3000 K	352114	90
Black	3000 K	371078	90
Brass	3000 K	371108	90

LED source 3000 K, 50.000 h life.

LOOK LED ROUND

SUSPENSION  IP20




0,820 Kg
0,0119 m³
LED 2W / 220 lm

ON-OFF

FINISH	CCT	CODE	€
White	3000 K	370910	100
Black	3000 K	370934	100
Brass	3000 K	351643	100

 LED source 3000 K, 50.000 h life.




0,530 Kg
0,0077 m³
LED 11,5W / 220 lm

ON-OFF

FINISH	CCT	CODE	€
White	3000 K	263687	76
Black	3000 K	263670	76
Brass	3000 K	263700	76

 LED source 3000 K, 20.000 h life.




0,530 Kg
0,0050 m³
LED 2W / 220 lm

ON-OFF

FINISH	CCT	CODE	€
White	3000 K	371023	80
Black	3000 K	351636	80
Brass	3000 K	371054	80

 LED source 3000 K, 50.000 h life.



0,420 Kg
0,0034 m³
LED 2W / 220 lm

ON-OFF

FINISH	CCT	CODE	€
White	3000 K	351629	70
Black	3000 K	370958	70
Brass	3000 K	371023	70


 LED source 3000 K, 50.000 h life.

LOOK ROUND

SUSPENSION



IP20




1,100 Kg
0,0061m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	371627	120
Black	352251	120
Brass	371634	120

Bulbs LED GU10 7W 3000 K
included. Cod. 123943




0,800 Kg
0,0046 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	371672	95
Black	352244	95
Brass	371696	95

Bulbs LED GU10 7W 3000 K
included. Cod. 123943




0,451 Kg
0,0031 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	104935	60
Black	104928	60
Brass	259239	60
Clear	194806	80
Silver	141800	80
Gold	141817	80
Chrome	104942	80
Antique Brass	141794	80
Copper	141855	80
Coffee	170589	80
Alabaster	361192	80

Bulbs LED GU10 7W 3000 K
included. Cod. 123943



0,300 Kg
0,0024 m³
GU10 max 1 x 28W

(RECOMMENDED)


LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	371641	70
Black	352237	70
Brass	371658	0

Bulbs LED GU10 7W 3000 K
included. Cod. 123943

LOOK ROUND

SUSPENSION  IP20




0,850 Kg
0,0038 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
280 lm	3000 K	339771	2,50

FINISH	CODE	€
White	366975	100
Black	371542	100
Brass	371559	100

 Bulbs LED GU10 4W 3000 K included. Cod. 339771




0,550 Kg
0,0028 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
280 lm	3000 K	339771	2,50

FINISH	CODE	€
White	371603	70
Black	371610	70
Brass	366968	70

 Bulbs LED GU10 4W 3000 K included. Cod. 339771




0,300 Kg
0,0019 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
280 lm	3000 K	339771	2,50

FINISH	CODE	€
White	346854	66
Black	343310	66
Brass	371597	66

 Bulbs LED GU10 4W 3000 K included. Cod. 339771



0,200 Kg
0,0015 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
280 lm	3000 K	339771	2,50

FINISH	CODE	€
White	371566	50
Black	371573	50
Brass	371580	50


 Bulbs LED GU10 4W 3000 K included. Cod. 339771

LOOK LED SQUARE

SUSPENSION



IP20




ON-OFF

FINISH	CCT	CODE	€
White	3000 K	194189	173
Black	3000 K	194202	173
Brass	3000 K	339740	173

LED source 3000 K, 30.000 h life.

0,450 Kg
0,0045 m³
LED 11,5W / 1200 lm



ON-OFF

FINISH	CCT	CODE	€
White	3000 K	362496	95
Black	3000 K	351650	95
Brass	3000 K	371139	95

LED source 3000 K, 30.000 h life.


0,500 Kg
0,0046 m³
LED 2W / 220 lm

LOOK SQUARE

SUSPENSION



IP20




(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	126906	100
Black	126913	100
Brass	371702	100

Bulbs LED GU10 7W 3000 K included. Cod. 123943

0,900 Kg
0,0031 m³
GU10 max 1 x 28W



(RECOMMENDED)

LUMEN	CCT	CODE	€
280 lm	3000 K	339771	3,00


FINISH	CODE	€
White	366999	70
Black	352268	70
Brass	366982	70

Bulbs LED GU10 4W 3000 K included. Cod. 339771

0,550 Kg
0,0019 m³
GU10 max 1 x 28W

LOOK DROP

SUSPENSION  IP20




ON-OFF

FINISH	CCT	CODE	€
Black	3000 K	371146	640
Brass	3000 K	371153	640

 LED source 3000 K, 30.000 h life.

11,600 Kg
0,0545 m³
LED 31W / 3100 lm




ON-OFF

FINISH	CCT	CODE	€
Black	2700 K	341095	475
Black	3000 K	263434	475
Brass	2700 K	341101	475
Brass	3000 K	263663	475

 LED source 3000 K, 20.000 h life.

8,600 Kg
0,0598 m³
LED 19W
1750 / 1850 lm



ON-OFF

FINISH	CCT	CODE	€
Black	3000 K	371177	370
Brass	3000 K	371184	370

 LED source 3000 K, 30.000 h life.

6,800 Kg
0,0353 m³
LED 16W / 1550 lm

LOOK LED ROUND

CEILING



IP20



0,400 Kg
0,0020 m³
LED 5W / 600 lm

ON-OFF

FINISH	CCT	CODE	€
White	3000 K	370873	75
Black	3000 K	370897	75
Brass	3000 K	353326	75

LED source 3000 K, 50.000 h life.



0,180 Kg
0,0011 m³
LED 5W / 600 lm

ON-OFF

FINISH	CCT	CODE	€
White	3000 K	370811	60
Black	3000 K	353319	60
Brass	3000 K	370842	60

LED source 3000 K, 50.000 h life.

LOOK ROUND

CEILING



IP20



1,380 Kg
0,0043 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	233352	60
Black	233321	60
Brass	371467	60

LED Bulbs LED GU10 7W 3000 K included. Cod. 123943




0,740 Kg
0,0025 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	233215	42
Black	233192	42
Brass	353838	42

LED Bulbs LED GU10 7W 3000 K included. Cod. 123943



0,400 Kg
0,0016 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	233079	32
Black	233062	32
Brass	285214	32

LED Bulbs LED GU10 7W 3000 K included. Cod. 123943



0,150 Kg
0,0010 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	371207	29
Black	353821	29
Brass	371405	29

LED Bulbs LED GU10 7W 3000 K included. Cod. 123943

LOOK ROUND GYPSUM

CEILING  IP20



4,840 Kg
0,0152 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
Gypsum		355757	92

 Bulbs LED GU10 7W 3000 K included. Cod. 123943




2,800 Kg
0,0093 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
Gypsum		371436	69

 Bulbs LED GU10 7W 3000 K included. Cod. 123943




0,800 Kg
0,0059 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
Gypsum		355740	46

 Bulbs LED GU10 7W 3000 K included. Cod. 123943



0,430 Kg
0,0027 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
Gypsum		155869	27

 Bulbs LED GU10 7W 3000 K included. Cod. 123943

LOOK SQUARE

CEILING



1,500 Kg
0,0043 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		234007	82
Black		233970	82
Brass		353852	82

Bulbs LED GU10 7W 3000 K
included. Cod. 123943




0,800 Kg
0,0024 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		233833	75
Black		233826	75
Brass		371511	75

Bulbs LED GU10 7W 3000 K
included. Cod. 123943




0,600 Kg
0,0016 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		233772	47
Black		233765	47
Brass		371504	47

Bulbs LED GU10 7W 3000 K
included. Cod. 123943



0,300 Kg
0,0010 m³
GU10 max 1 x 28W


(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		367552	42
Black		353845	42
Brass		371481	42

Bulbs LED GU10 7W 3000 K
included. Cod. 123943

LOOK SQUARE GYPSUM


CEILING  IP20



4,840 Kg
0,0152 m³
GU10 max 1 x 28W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
Gypsum		371535	97


 Bulbs LED GU10 7W 3000 K included. Cod. 123943



2,900 Kg
0,0093 m³
GU10 max 1 x 28W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
Gypsum		355771	70


 Bulbs LED GU10 7W 3000 K included. Cod. 123943



0,800 Kg
0,0059 m³
GU10 max 1 x 28W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
Gypsum		355764	49

 Bulbs LED GU10 7W 3000 K included. Cod. 123943



0,620 Kg
0,0026 m³
GU10 max 1 x 28W

(RECOMMENDED)			
LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
Gypsum		155791	30


 Bulbs LED GU10 7W 3000 K included. Cod. 123943

LOOK LED ROUND

WALL



IP20



ON-OFF

FINISH	CODE	€
White	370620	85
Black	370651	85
Brass	353340	85

LED source 3000 K, 20.000 h life.

0,350 Kg
0,0027 m³
LED 11,5W / 1200 lm



ON-OFF

FINISH	CODE	€
White	370552	75
Black	353333	75
Brass	370590	75

LED source 3000 K, 20.000 h life.


0,250 Kg
0,0015 m³
LED 8W /870 lm

LOOK ROUND

WALL



IP20



(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	370033	70
Black	370118	70
Brass	370125	70
Chrome	352961	70
Copper	370163	70
Antique Brass	370071	70

Bulbs LED GU10 7W 3000 K included. Cod. 123943

0,450 Kg
0,0035 m³
GU10 max 1 x 28W



(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50


FINISH	CODE	€
White	096018	65
Black	095998	65
Brass	369990	65
Chrome	094182	65
Copper	164847	65
Antique Brass	164823	65

Bulbs LED GU10 7W 3000 K included. Cod. 123943

0,350 Kg
0,0025 m³
GU10 max 1 x 28W

LOOK LED SQUARE

WALL  IP20



0,450 Kg
0,0027 m³
LED 9W / 900 lm

ON-OFF

FINISH	CODE	€
White	370750	97
Black	370774	97
Brass	353364	97

 LED source 3000 K, 30.000 h life.



0,330 Kg
0,0015 m³
LED 9W / 900 lm


ON-OFF

FINISH	CODE	€
White	370699	87
Black	353357	87
Brass	370712	87

 LED source 3000 K, 30.000 h life.

LOOK SQUARE

WALL  IP20



1,400 Kg
0,0035 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	126883	75
Black	126890	75
Brass	370439	75
Chrome	353944	75
Copper	370460	75
Antique Brass	370392	75

 Bulbs LED GU10 7W 3000 K included. Cod. 123943



0,750 Kg
0,0025 m³
GU10 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50

FINISH	CODE	€
White	370194	70
Black	353937	70
Brass	370293	70
Chrome	370255	70
Copper	370354	70
Antique Brass	370231	70

 Bulbs LED GU10 7W 3000 K included. Cod. 123943

LOOK

FLOOR



FINISH	CODE	€
White	304922	250
Black	304915	250

LED source 3000 K, 30.000 h life.



5,080 Kg
0,0845m³
LED 24W / 2750 lm



MAPA

Metal structure with aluminium elements. Pyrex or blown glass sphere diffuser, available in opal, transparent, satin, iridescent, amber, smoked, chrome or acid-etched white finishes. In the suspension version, metal ceiling rose with steel or transparent cable, available in lengths of 2 m, 5 m or 12 m, non-shortenable in some models. In the ceiling, wall and table versions, base and fixing system in white painted metal.











































MAPA ASSEMBLY PLAN


COMPOSITION PRO DIY MODULAR PRODUCT



SINGLE





CLOUD




DROP

CEILING CUPS




DRIVER G4
NECESSARY





DRIVER G4
NECESSARY



SOURCE + GLASS




G4





G9





E14




E27



E27



E27



MAPA LED ASSEMBLY PLAN

COMPOSITION


PRO

DIY


MODULAR PRODUCT



SINGLE




CLOUD




DROP

CEILING CUPS




90



220 / 360

DIMMABLE DRIVER
OPTIONAL



300 / 1050

DIMMABLE DRIVER
OPTIONAL

SOURCE + GLASS



2000 / 5000

1,5W



100



2000 / 5000

3,5W




150



2000 / 5000

3,5W




200

MAPA BIANCO

SUSPENSION




IP20



3,200 Kg
0,2000 m³
E27 max 1 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50
FINISH		CODE	€
White		032122	285



2,400 Kg
0,1080 m³
E27 max 1 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50
FINISH		CODE	€
White		032139	175



1,020 Kg
0,0550 m³
E27 max 1 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50
FINISH		CODE	€
White		009087	90



0,570 Kg
0,0174 m³
E14 max 1 x 28W

(RECOMMENDED)

LUMEN	CCT	CODE	€
480 lm	3000 K	101200	2,00
FINISH		CODE	€
White		009148	70




0,420 Kg
0,0095 m³
G9 max 1 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		369068	60

Bulbs LED G9 3W 3000 K
included. Cod. 209043



0,440 Kg
0,0054 m³
G4 max 1 x 2W

(RECOMMENDED)


LUMEN	CCT	CODE	€
200 lm	3000 K	222257	4,00
FINISH		CODE	€
White		310800	55

Bulbs LED G4 2W 3000 K
included. Cod. 222257

MAPA SINGLE

CEILING CUPS

PRO DIY




DRIVER FOR G4 (INCLUDED)

GLASS COMPATIBILITY	DIAMETER	WEIGHT	VOLUME	FINISH	CODE	€
ø 400 / 500	ø 90	0,160	0,0007	White	311265	16
ø 400 / 500	ø 90	0,160	0,0006	Chrome	328683	16
ø 400 / 500	ø 90	0,160	0,0007	Copper	328706	16
ø 400 / 500	ø 90	0,160	0,0006	Brass	328690	16
ø 400 / 500	ø 90	0,160	0,0007	Black	311272	16
ø 150 / 200 / 300	ø 90	0,150	0,0007	White	244235	15
ø 150 / 200 / 300	ø 90	0,150	0,0007	Chrome	244259	15
ø 150 / 200 / 300	ø 90	0,150	0,0007	Copper	249315	15
ø 150 / 200 / 300	ø 90	0,150	0,0007	Brass	249308	15
ø 150 / 200 / 300	ø 90	0,150	0,0007	Black	244242	15
ø 100	ø 90	0,250	0,0007	White	368825	29
ø 100	ø 90	0,250	0,0007	Chrome	368856	29
ø 100	ø 90	0,250	0,0007	Copper	368924	29
ø 100	ø 90	0,250	0,0007	Brass	368900	29
ø 100	ø 90	0,250	0,0007	Black	368870	29

SOURCE

IP20 PRO DIY



GLASS COMPATIBILITY	WEIGHT	VOLUME	SOURCE	POWER	FINISH	CABLE	CODE	€
ø 500	0,440	0,0049	E27	max 42W	Aluminum	5 mt	368276	70
ø 400	0,440	0,0049	E27	max 42W	Aluminum	5 mt	368276	70
ø 300	0,340	0,0016	E27	max 42W	Aluminum	5 mt	368269	46
ø 300	0,650	0,0049	E27	max 42W	Aluminum	12 mt	371757	86
ø 200	0,300	0,0009	E14	max 28W	Aluminum	5 mt	368252	29
ø 200	0,610	0,0016	E14	max 28W	Aluminum	12 mt	371733	68
ø 150	0,290	0,0012	G9	max 4W	Aluminum	5 mt	368245	37
ø 100	0,100	0,0007	G4	max 2W	Aluminum	5 mt	368238	32

LED Bulbs LED G9 3W 3000 K included. Cod. 209043

LED Bulbs LED G4 2W 3000 K included. Cod. 222257


GLASS

Available at pag. 291

DIY

MAPA CLOUD



CEILING CUPS



DRIVER FOR G4 (NOT INCLUDED)

N°LUCI	DIAMETER	WEIGHT	VOLUME	FINISH	CODE	€
25	ø 360	2,200	0,0091	White	371801	109
25	ø 360	2,200	0,0091	Black	371818	109
13	ø 280	1,430	0,0057	White	371764	73
13	ø 280	1,430	0,0057	Black	371788	73
7	ø 220	0,940	0,0033	White	371863	53
7	ø 220	0,940	0,0033	Black	371887	53
3	ø 220	0,930	0,0033	White	371832	49
3	ø 220	0,930	0,0033	Black	371849	49

SURCE



GLASS COMPATIBILITY	WEIGHT	VOLUME	SOURCE	POWER	FINISH	CABLE	CODE	€
ø 200	0,300	0,0009	E14	max 28W	Aluminum	5 mt	368252	29
ø 150	0,290	0,0012	G9	max 4W	Aluminum	5 mt	368245	37
ø 100	0,100	0,0007	G4	max 2W	Aluminum	5 mt	368238	32

Bulbs LED G9 3W 3000 K included. Cod. 209043

Bulbs LED G4 2W 3000 K included. Cod. 222257

DRIVER

Available | Required for G4 sources



DRIVER	MAX N° LIGHT	POWER	OUTPUT	CLASS	MEASURE (L X H X P)	CODE	€
On-Off	25	60W	12 Vdc		168 x 38 x 30 mm	373041	42
On-Off	13	30W	12 Vdc		95 x 23 x 53 mm	369099	35
On-Off	7	18W	12 Vdc		68 x 23 x 35 mm	369143	30

GLASS


Available at pag. 291



MAPA DROP

CEILING CUPS

(PRO) (DIY)




DRIVER FOR G4 (NOT INCLUDED)

N°LUCI	DIAMETER	WEIGHT	VOLUME	FINISH	CODE	€
25	ø 1050	14,010	0,0794	White	370613	467
25	ø 1050	14,010	0,0794	Black	370675	467
13	ø 750	7,290	0,0410	White	344331	242
13	ø 750	7,290	0,0410	Black	364933	242
7	ø 550	3,270	0,0146	White	344256	120
7	ø 550	3,270	0,0146	Black	364872	120
3	ø 300	1,250	0,0055	White	344171	61
3	ø 300	1,250	0,0055	Black	344195	61

SURCE

(IP20) (PRO) (DIY)



GLASS COMPATIBILITY	WEIGHT	VOLUME	SOURCE	POWER	FINISH	CABLE	CODE	€
ø 300	0,340	0,0016	E27	max 42W	Aluminum	5 mt	368269	46
ø 200	0,300	0,0009	E14	max 28W	Aluminum	5 mt	368252	29
ø 150	0,290	0,0012	G9	max 4W	Aluminum	5 mt	368245	37
ø 100	0,100	0,0007	G4	max 2W	Aluminum	5 mt	368238	32

(LED) Bulbs LED G9 3W 3000 K included. Cod. 209043

(LED) Bulbs LED G4 2W 3000 K included. Cod. 222257

DRIVER

Available | Required for G4 sources

(PRO) (DIY)

DRIVER	MAX N° LIGHT	POWER	OUTPUT	CLASS	MEASURE (L X H X P)	CODE	€
On-Off	25	60W	12 Vdc	(IP20)	168 x 38 x 30 mm	373041	42
On-Off	13	30W	12 Vdc	(IP20)	95 x 23 x 53 mm	369099	35
On-Off	7	18W	12 Vdc	(IP20)	68 x 23 x 35 mm	369143	30


GLASS

Available at pag. 291

(DIY)

MAPA LED SINGLE

CEILING CUPS



DRIVER ON/OFF (INCLUDED)

GLASS COMPATIBILITY	DIAMETER	WEIGHT	VOLUME	FINISH	CODE	€
ø 100 / 150 / 200	ø 90	0,270	0,0007	White	368948	32
ø 100 / 150 / 200	ø 90	0,270	0,0007	Chrome	368962	32
ø 100 / 150 / 200	ø 90	0,270	0,0007	Copper	369037	32
ø 100 / 150 / 200	ø 90	0,270	0,0007	Brass	369013	32
ø 100 / 150 / 200	ø 90	0,270	0,0007	Black	368993	32

SOURCE



IP20



LED LIFE: 50.000 h



GLASS COMPATIBILITY	WEIGHT	VOLUME	POWER	CCT	LUMEN	FINISH	CABLE	CODE	€
ø 200	0,080	0,0007	3,5W	3000 K	380 lm	Aluminum	2 mt	372686	25
ø 200	0,120	0,0007	3,5W	3000 K	380 lm	Aluminum	5 mt	366944	34
ø 150	0,080	0,0007	3,5W	3000 K	380 lm	Aluminum	2 mt	372686	25
ø 150	0,120	0,0007	3,5W	3000 K	380 lm	Aluminum	5 mt	366944	34
ø 100	0,040	0,0007	1,5W	3000 K	120 lm	Aluminum	2 mt	372693	19
ø 100	0,070	0,0007	1,5W	3000 K	120 lm	Aluminum	5 mt	367965	29

GLASS


Available at pag. 291



MAPA LED CLOUD

CEILING CUPS

(PRO) (DIY)



DRIVER ON/OFF (INCLUDED)

N°LUCI	DIAMETER	WEIGHT	VOLUME	FINISH	CODE	€
25	ø 360	2,580	0,0091	White	372013	184
25	ø 360	2,580	0,0091	Black	372020	184
13	ø 280	1,670	0,0057	White	371993	117
13	ø 280	1,670	0,0057	Black	372006	117
7	ø 220	0,950	0,0033	White	368788	78
7	ø 220	0,950	0,0033	Black	368801	78
3	ø 220	0,940	0,0033	White	368733	76
3	ø 220	0,940	0,0033	Black	368757	76

SOURCE

(PRO) (DIY) IP20 LED LIFE: 50.000 h



GLASS COMPATIBILITY	WEIGHT	VOLUME	POWER	CCT	LUMEN	FINISH	CABLE	CODE	€
ø 200	0,080	0,0007	3,5W	3000 K	380 lm	Aluminum	2 mt	372686	25
ø 200	0,120	0,0007	3,5W	3000 K	380 lm	Aluminum	5 mt	366944	34
ø 150	0,080	0,0007	3,5W	3000 K	380 lm	Aluminum	2 mt	372686	25
ø 150	0,120	0,0007	3,5W	3000 K	380 lm	Aluminum	5 mt	366944	34
ø 100	0,040	0,0007	1,5W	3000 K	120 lm	Aluminum	2 mt	372693	19
ø 100	0,070	0,0007	1,5W	3000 K	120 lm	Aluminum	5 mt	367965	29

DRIVER

Available (PRO) (DIY)


DRIVER	MAX N° LIGHT	POWER	OUTPUT	CLASS	MEASURE (L X H X P)	CODE	€
DALI/Push	25	150W	24 Vdc	⊥	290 x 30,5 x 45 mm	244587	90
DALI/Push	13	80W	24 Vdc	□	227 x 30 x 38 mm	373065	115
DALI/Push	7	45W	24 Vdc	□	168 x 30 x 38 mm	373058	95

GLASS

Available at pag. 291 (DIY)

MAPA LED DROP

CEILING CUPS



DRIVER ON/OFF (INCLUDED)

N°LUCI	DIAMETER	WEIGHT	VOLUME	FINISH	CODE	€
25	ø 1050	14,010	0,0797	White	371931	513
25	ø 1050	14,010	0,0797	Black	371948	513
13	ø 750	7,290	0,0411	White	371894	268
13	ø 750	7,290	0,0411	Black	371917	268
7	ø 500	3,270	0,0149	White	371979	137
7	ø 500	3,270	0,0149	Black	371986	137
3	ø 300	1,250	0,0058	White	371955	78
3	ø 300	1,250	0,0058	Black	371962	78

SOURCE



GLASS COMPATIBILITY	WEIGHT	VOLUME	POWER	CCT	LUMEN	FINISH	CABLE	CODE	€
ø 200	0,080	0,0007	3,5W	3000 K	380 lm	Aluminum	2 mt	372686	25
ø 200	0,080	0,0007	3,5W	3000 K	380 lm	Aluminum	5 mt	366944	34
ø 150	0,080	0,0007	3,5W	3000 K	380 lm	Aluminum	2 mt	372686	25
ø 150	0,080	0,0007	3,5W	3000 K	380 lm	Aluminum	5 mt	366944	34
ø 100	0,080	0,0007	1,5W	3000 K	120 lm	Aluminum	2 mt	372693	19
ø 100	0,080	0,0007	1,5W	3000 K	120 lm	Aluminum	5 mt	367965	29

DRIVER



DRIVER	MAX N° LIGHT	POWER	OUTPUT	CLASS	MEASURE (L X H X P)	CODE	€
DALI/Push	25	150W	24 Vdc		290 x 30,5 x 45 mm	244587	90
DALI/Push	13	80W	24 Vdc		227 x 30 x 38 mm	373065	115
DALI/Push	7	45W	24 Vdc		168 x 30 x 38 mm	373058	95

GLASS



MAPA GLASS

GLASS

(PRO)

(DIY)



White



Opal



Clear



Satin



Iridescent



Amber




Smoky Grey



Chrome


ø 500



2,600 Kg
0,1951 m³

FINISH	CODE	€
White	369709	182
Opal	369808	270
Clear	369853	182
Satin	369839	270
Iridescent	369785	270
Amber	369686	270
Smoky Grey	369754	270
Chrome	369730	270


ø 400



1,450 Kg
0,1027 m³

FINISH	CODE	€
White	369488	72
Opal	369600	102
Clear	369655	72
Satin	369631	102
Iridescent	369587	102
Amber	369464	102
Smoky Grey	369549	102
Chrome	369525	102


ø 300



0,700 Kg
0,0527 m³

FINISH	CODE	€
White	369341	46
Opal	369402	57
Clear	369440	46
Satin	369426	57
Iridescent	369389	57
Amber	369334	57
Smoky Grey	369365	57
Chrome	369358	57


ø 200



0,400 Kg
0,0156 m³

FINISH	CODE	€
White	369297	22
Opal	369310	30
Clear	289786	22
Satin	289939	30
Iridescent	348698	30
Amber	289915	30
Smoky Grey	289908	30
Chrome	369303	30


ø 150



0,250 Kg
0,0080 m³

FINISH	CODE	€
White	369242	16
Opal	369280	19
Clear	289861	16
Satin	327433	19
Iridescent	348681	19
Amber	327419	19
Smoky Grey	327457	19
Chrome	369266	19

ø 100




0,200 Kg
0,0041 m³

FINISH	CODE	€
White	369174	10
Opal	369228	13
Clear	289878	10
Satin	327426	13
Iridescent	348674	13
Amber	327402	13
Smoky Grey	327440	13
Chrome	369204	13


MAPA

WALL/CEILING




1,660 Kg
0,0647 m³
E27 max 1 x 42W

(RECOMMENDED)				
LUMEN	CCT	CODE	€	
470 lm	3000 K	101279	2,00	
FINISH		CODE	€	
White		059822	88	



0,900 Kg
0,0189 m³
E27 max 1 x 42W


(RECOMMENDED)				
LUMEN	CCT	CODE	€	
470 lm	3000 K	101279	2,00	
FINISH		CODE	€	
White		059815	50	



0,380 Kg
0,0105 m³
G9 max 1 x 15W

(RECOMMENDED)				
LUMEN	CCT	CODE	€	
510 lm	3000 K	305486	6,10	
FINISH		CODE	€	
White		059808	44	

Bulbs LED G9 3W 3000 K Cod. 209043




0,230 Kg
0,0025 m³
G9 max 1 x 4W

(RECOMMENDED)				
LUMEN	CCT	CODE	€	
510 lm	3000 K	305486	6,10	
FINISH		CODE	€	
White		310787	35	

Bulbs LED G9 3W 3000 K Cod. 209043

CEILING



2,590 Kg
0,0973 m³
E27 max 1 x 42W


(RECOMMENDED)				
LUMEN	CCT	CODE	€	
1080 lm	3000 K	119571	3,50	
FINISH		CODE	€	
White		059839	188	

MAPA

TABLE




IP20



3,520 Kg
0,1060 m³
E27 max 1 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50
FINISH		CODE	€
White		000206	165



1,880 Kg
0,0505 m³
E27 max 1 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50
FINISH		CODE	€
White		009131	85



1,050 Kg
0,0214 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50
FINISH		CODE	€
White		009155	50



0,280 Kg
0,0059 m³
G9 max 1 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		310817	45



Bulbs LED G9 3W 3000 K Cod. 209043





MINT

Metal frame with satin brass finish and matt black ceiling rose. Power cable coated with fabric. Blown glass diffuser with stripes in relief. Available finishes: smoky or green.









MINT

SUSPENSION




IP20



Smoky Grey

Green




1,350 Kg
0,0132 m³
E27 max 1 x 60W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50

FINISH	CODE	€
Smoky Grey	237442	105
Green	248554	105




1,560 Kg
0,0307 m³
E27 max 1 x 60W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50

FINISH	CODE	€
Smoky Grey	237398	127
Green	237428	127



1,80 Kg
0,0280 m³
E27 max 1 x 60W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50

FINISH	CODE	€
Smoky Grey	237510	138
Green	237497	138

MIX UP

Powder-coated varnished metal ceiling cap and interchangeable shades. PVC cable.
Finishes: white or black.



















SUSPENSIONS INDOORS IDEAL LUX

MIX UP




MIX UP

SUSPENSION



IP20



0,460 Kg
0,0019 m³
E27 max 1 x 60W

(RECOMMENDED)


LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50

FINISH	CODE	€
White	288406	55
Black	288390	55

CEILING



IP20



0,270 Kg
0,0006 m³
E27 max 1 x 60W

(RECOMMENDED)


LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50

FINISH	CODE	€
White	292847	35
Black	292830	35

FLOOR



IP20




8,500 Kg
0,0353 m³
E27 max 1 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50

FINISH	CODE	€
White	328164	200
Black	328171	200




2,000 Kg
0,0708 m³

FINISH	CODE	€
White	288437	85
Black	288420	85




1,100 Kg
0,0476 m³

FINISH	CODE	€
White	307404	55
Black	288475	55



0,500 Kg
0,0184 m³

FINISH	CODE	€
White	307428	35
Black	288451	35



0,800 Kg
0,0156 m³

FINISH	CODE	€
White	307411	40
Black	288444	40



MOBY

Metal frame and diffuser
white inside. Available finishes:
white, black or copper.












MOBY

SUSPENSION



IP20



1,200 Kg
0,0360 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
950 lm	3000 K	101330	4,50

FINISH	CODE	€
Black	093659	127
Copper	093697	127



NEMO

Blown glass diffuser. Available with smoky, copper, amber, clear or chrome finishes.














NEMO

SUSPENSION



IP20




8,700 Kg
0,2583 m³
E27 max 5 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
1080 lm	3000 K	119571	3,50

FINISH	CODE	€
Chrome	138305	520




(RECOMMENDED)

LUMEN	CCT	CODE	€
1050 lm	3000 K	101347	6,00

FINISH	CODE	€
Smoky Grey	094137	450

4,000 Kg
0,1884 m³
E27 max 1 x 42W




(RECOMMENDED)

LUMEN	CCT	CODE	€
1050 lm	3000 K	101347	6,00

FINISH	CODE	€
Clear	052816	200
Chrome	250359	200
Smoky Grey	094229	200
Copper	111919	200
Amber	339061	200

2,700 Kg
0,0880 m³
E27 max 1 x 42W




(RECOMMENDED)

LUMEN	CCT	CODE	€
1100 lm	3000 K	101323	4,50

FINISH	CODE	€
Clear	052809	115
Chrome	149592	115
Smoky Grey	094236	115
Copper	111902	115
Amber	339054	115

2,050 Kg
0,0466 m³
E27 max 1 x 42W



(RECOMMENDED)

LUMEN	CCT	CODE	€
1100 lm	3000 K	101323	4,50

FINISH	CODE	€
Chrome	149585	75
Smoky Grey	250311	75
Copper	250328	75
Amber	339047	75

1,300 Kg
0,0176 m³
E27 max 1 x 42W




NINFEA

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. The table version includes a PVC cable with switch and plug. Available finishes: white or satin brass.


















NINFEA

CEILING




2,550 Kg
0,0480m³
GX53 max 3 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00
FINISH		CODE	€
White		306964	275
Brass		293660	275

Bulbs LED GX53 9W 3000 K included. Cod. 123936




1,700 Kg
0,0290 m³
GX53 max 2 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00
FINISH		CODE	€
White		306957	195
Brass		293653	195

Bulbs LED GX53 9W 3000 K included. Cod. 123936

WALL / CEILING




0,800 Kg
0,0092 m³
GX53 max 1 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00
FINISH		CODE	€
White		306940	105
Brass		293646	105

Bulbs LED GX53 9W 3000 K included. Cod. 123936




0,800 Kg
0,0168 m³
G9 max 2 x 4W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		327716	132
Brass		346533	132

Bulbs LED G9 3W 3000 K included. Cod. 209043

TABLE



1,100 Kg
0,0158 m³
GX53 max 1 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00
FINISH		CODE	€
White		318325	99
Brass		346526	99

Bulbs LED GX53 9W 3000 K included. Cod. 123936





NITRO

White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.











NITRO ROUND

CEILING  IP20




FINISH	CODE	€
White	319568	115
Black	322711	115

 LED source 3000 K, 50.000 h life.




0,860 Kg
0,0018 m³
LED 25W / 2350 lm

 IP20




FINISH	CODE	€
White	205977	90
Black	205984	90

 LED source 3000 K, 50.000 h life.




0,910 Kg
0,0014 m³
LED 15W / 1400 lm

 IP20




FINISH	CCT	CODE	€
White	2700 K	341781	65
White	3000 K	205991	65
Black	2700 K	341798	65
Black	3000 K	206004	65

 LED source 2700/3000 K, 50.000 h life.




0,400 Kg
0,0013 m³
LED 10W
950/1000 lm

 IP20



FINISH	CCT	CODE	€
White	2700 K	342788	45
White	3000 K	299419	45
Black	2700 K	342795	45
Black	3000 K	299402	45

 LED source 2700/3000 K, 50.000 h life.



0,600 Kg
0,0004 m³
LED 4W
310/320 lm




NITRO SQUARE

CEILING




IP20



FINISH	CODE	€
White	319575	115
Black	319582	115


LED source 3000 K, 50.000 h life.



0,700 Kg
0,0016 m³
LED 25W / 2350 lm




IP20



FINISH	CODE	€
White	206011	90
Black	206028	90


LED source 3000 K, 50.000 h life.



0,400 Kg
0,0011 m³
LED 15W / 1400 lm




IP20



FINISH	CODE	€
White	206035	65
Black	206042	65


LED source 3000 K, 50.000 h life.



0,230 Kg
0,0009 m³
LED 10W / 1000 lm




IP20



FINISH	CODE	€
White	319797	45
Black	319803	45

LED source 3000 K, 50.000 h life.



0,100 Kg
0,0004 m³
LED 5W / 370 lm



ORACLE SLIM

Slim frame in matt white or black painted aluminium with opal polycarbonate diffuser. Available in pendant version (round in four sizes, square in three sizes) and ceiling version (circular in three sizes). The ceiling version features integrated LEDs with a colour temperature of 3000 K, CRI $\geq$ 90, a service life of 50,000 hours, IP20 protection and insulation class II.
















ORACLE SLIM ROUND


SUSPENSION  IP20 LED LIFE: 50.000 h



Cable lenght
2500 mm

LED SMD (DRIVER INCLUDED)

MEASURE	WEIGHT	VOLUME	POWER	DRIVER	LUMEN	CCT	FINISH	CODE	€
ø 1500	1,800 Kg	0,3072 m³	83 W	On-Off	7850 lm	2700 K	White	342177	490
ø 1500	1,800 Kg	0,3072 m³	83 W	On-Off	7850 lm	2700 K	Black	342160	490
ø 1500	2,480 Kg	0,3072 m³	83 W	On-Off	9300 lm	3000 K	White	265957	490
ø 1500	2,480 Kg	0,3072 m³	83 W	On-Off	9300 lm	3000 K	Black	285061	490
ø 1500	2,480 Kg	0,3072 m³	83 W	On-Off	9300 lm	3000 K	Brass sat.	370569	490
ø 1500	2,480 Kg	0,3072 m³	83 W	On-Off	9950 lm	4000 K	White	285078	490
ø 1500	2,480 Kg	0,3072 m³	83 W	On-Off	9950 lm	4000 K	Black	304472	490
ø 1500	2,000 Kg	0,3072 m³	77 W	DALI/Push	7900 lm	3000 K	White	304465	625
ø 1500	2,000 Kg	0,3072 m³	77 W	DALI/Push	7900 lm	3000 K	Black	304458	625
ø 1500	2,000 Kg	0,3072 m³	77 W	DALI/Push	8150 lm	4000 K	White	342191	625
ø 1500	2,000 Kg	0,3072 m³	77 W	DALI/Push	8150 lm	4000 K	Black	342184	625



Cable lenght
2500 mm

LED SMD (DRIVER INCLUDED)


MEASURE	WEIGHT	VOLUME	POWER	DRIVER	LUMEN	CCT	FINISH	CODE	€
ø 900	1,720 Kg	0,0884 m³	53 W	On-Off	5150 lm	2700 K	White	342115	239
ø 900	1,720 Kg	0,0884 m³	53 W	On-Off	5150 lm	2700 K	Black	342108	239
ø 900	1,800 Kg	0,0884 m³	53 W	On-Off	5650 lm	3000 K	White	229478	239
ø 900	1,800 Kg	0,0884 m³	53 W	On-Off	5650 lm	3000 K	Black	229508	239
ø 900	1,800 Kg	0,0884 m³	53 W	On-Off	5650 lm	3000 K	Brass sat.	370514	239
ø 900	1,800 Kg	0,0884 m³	53 W	On-Off	5850 lm	4000 K	White	269870	239
ø 900	1,800 Kg	0,0884 m³	53 W	On-Off	5850 lm	4000 K	Black	304441	239
ø 900	1,800 Kg	0,0884 m³	42 W	DALI/Push	4900 lm	3000 K	White	304434	345
ø 900	1,800 Kg	0,0884 m³	42 W	DALI/Push	4900 lm	3000 K	Black	304427	345
ø 900	1,480 Kg	0,0884 m³	42 W	DALI/Push	5200 lm	4000 K	White	342139	345
ø 900	1,480 Kg	0,0884 m³	42 W	DALI/Push	5200 lm	4000 K	Black	342122	345

ORACLE SLIM ROUND

SUSPENSION




IP20 LED LIFE: 50.000 h



Cable lenght
2500 mm

LED SMD (DRIVER INCLUDED)

MEASURE	WEIGHT	VOLUME	POWER	DRIVER	LUMEN	CCT	FINISH	CODE	€
ø 700	1,260 Kg	0,0578 m ³	37 W	On-Off	3800 lm	2700 K	White	342054	226
ø 700	1,260 Kg	0,0578 m ³	37 W	On-Off	3800 lm	2700 K	Black	342047	226
ø 700	1,660 Kg	0,0578 m ³	37 W	On-Off	4350 lm	3000 K	White	229485	226
ø 700	1,660 Kg	0,0578 m ³	37 W	On-Off	4350 lm	3000 K	Black	229515	226
ø 700	1,660 Kg	0,0578 m ³	37 W	On-Off	4350 lm	3000 K	Brass sat.	370446	226
ø 700	1,660 Kg	0,0578 m ³	37 W	On-Off	4500 lm	4000 K	White	269863	226
ø 700	1,660 Kg	0,0578 m ³	37 W	On-Off	4500 lm	4000 K	Black	304410	226
ø 700	1,200 Kg	0,0570 m ³	40 W	DALI/Push	4250 lm	3000 K	White	304403	281
ø 700	1,200 Kg	0,0570 m ³	40 W	DALI/Push	4250 lm	3000 K	Black	304397	281
ø 700	1,200 Kg	0,0570 m ³	40 W	DALI/Push	4500 lm	4000 K	White	342078	281
ø 700	1,200 Kg	0,0570 m ³	40 W	DALI/Push	4500 lm	4000 K	Black	342061	281




Cable lenght
2500 mm

LED SMD (DRIVER INCLUDED)

MEASURE	WEIGHT	VOLUME	POWER	DRIVER	LUMEN	CCT	FINISH	CODE	€
ø 500	1,200 Kg	0,0303 m ³	29 W	On-Off	2900 lm	2700 K	White	342016	166
ø 500	1,200 Kg	0,0303 m ³	29 W	On-Off	2900 lm	2700 K	Black	342009	166
ø 500	1,400 Kg	0,0303 m ³	29 W	On-Off	3250 lm	3000 K	White	229461	166
ø 500	1,400 Kg	0,0303 m ³	29 W	On-Off	3250 lm	3000 K	Black	229492	166
ø 500	1,400 Kg	0,0303 m ³	29 W	On-Off	3250 lm	3000 K	Brass sat.	370408	166
ø 500	1,400 Kg	0,0303 m ³	29 W	On-Off	3550 lm	4000 K	White	269856	166
ø 500	1,400 Kg	0,0303 m ³	29 W	On-Off	3550 lm	4000 K	Black	304380	166
ø 500	1,100 Kg	0,0303 m ³	28 W	DALI/Push	3050 lm	3000 K	White	304373	235
ø 500	1,100 Kg	0,0303 m ³	28 W	DALI/Push	3050 lm	3000 K	Black	304366	235
ø 500	1,170 Kg	0,0303 m ³	28 W	DALI/Push	3350 lm	4000 K	White	342030	235
ø 500	1,170 Kg	0,0303 m ³	28 W	DALI/Push	3350 lm	4000 K	Black	342023	235

ORACLE SLIM SQUARE


SUSPENSION  IP20 LED LIFE: 50.000 h



LED SMD (DRIVER ON/OFF INCLUDED)

MEASURE	WEIGHT	VOLUME	POWER	DRIVER	LUMEN	CCT	FINISH	CODE	€
900 x 900	2,100 Kg	0,0884 m³	53 W	On-Off	5200 lm	3000 K	White	259192	239
900 x 900	2,100 Kg	0,0884 m³	53 W	On-Off	5200 lm	3000 K	Black	259208	239
900 x 900	2,100 Kg	0,0884 m³	53 W	On-Off	5200 lm	3000 K	Brass sat.	370538	239


Cable lenght
2500 mm



LED SMD (DRIVER ON/OFF INCLUDED)

MEASURE	WEIGHT	VOLUME	POWER	DRIVER	LUMEN	CCT	FINISH	CODE	€
700 x 700	2,000 Kg	0,0578 m³	44 W	On-Off	4350 lm	3000 K	White	259178	226
700 x 700	2,000 Kg	0,0578 m³	44 W	On-Off	4350 lm	3000 K	Black	259185	226
700 x 700	2,000 Kg	0,0578 m³	44 W	On-Off	4350 lm	3000 K	Brass sat.	370484	226

Cable length
2500 mm



LED SMD (DRIVER ON/OFF INCLUDED)


MEASURE	WEIGHT	VOLUME	POWER	DRIVER	LUMEN	CCT	FINISH	CODE	€
500 x 500	1,730 Kg	0,0303 m³	33 W	On-Off	3050 lm	3000 K	White	259154	189
500 x 500	1,730 Kg	0,0303 m³	33 W	On-Off	3050 lm	3000 K	Black	259161	189
500 x 500	1,730 Kg	0,0303 m³	33 W	On-Off	3050 lm	3000 K	Brass sat.	370415	189

Cable lenght
2500 mm

ORACLE SLIM ROUND

CEILING


IP20 LED LIFE: 50.000 h



1,970 Kg
0,3072 m³
LED 83W / 9300 lm

FINISH	CCT	CODE	€
White	3000 K	370361	460
Black	3000 K	370316	460
Brass sat.	3000 K	370330	460


LED LUMEN luminosa LED
3000 K, 50.000 h life.



1,630 Kg
0,0839 m³
LED 53W
5150/5850 lm

FINISH	CCT	CODE	€
White	2700 K	341972	272
White	3000 K	266015	272
White	4000 K	341996	272
Black	2700 K	341965	272
Black	3000 K	266022	272
Black	4000 K	341989	272
Brass sat.	3000 K	370279	272


LED LED source
2700/3000/4000 K, 50.000
h life.



1,430 Kg
0,0563 m³
LED 37W
3800/4500 lm

FINISH	CCT	CODE	€
White	2700 K	341934	239
White	3000 K	265995	239
White	4000 K	341958	239
Black	2700 K	341927	239
Black	3000 K	266008	239
Black	4000 K	341941	239
Brass sat.	3000 K	370248	239

LED LED source
2700/3000/4000 K, 50.000
h life.



1,240 Kg
0,0303 m³
LED 29W
2900/3550 lm

FINISH	CCT	CODE	€
White	2700 K	341897	180
White	3000 K	265971	180
White	4000 K	341910	180
Black	2700 K	341880	180
Black	3000 K	265988	180
Black	4000 K	341903	180
Brass sat.	3000 K	370217	180

LED LED source
2700/3000/4000 K, 50.000
h life.



OZ

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.































SUSPENSION



IP20




2,800 Kg
0,0865 m³
LED 75W / 8300 lm

ON-OFF

FINISH	CODE	€
White	352411	380
Black	364896	380
Brass	364926	380

LED source 3000 K, 30.000 h life.



1,900 Kg
0,0723 m³
LED 52W
5800/6400 lm

ON-OFF


FINISH	CCT	CODE	€
White	2700 K	342405	265
White	3000 K	253664	265
White	4000 K	342436	265
Black	2700 K	342412	265
Black	3000 K	269450	265
Black	4000 K	342443	265
Brass	2700 K	342429	265
Brass	3000 K	269467	265
Brass	4000 K	342450	265

DALI/PUSH

FINISH	CODE	€
White	304571	425
Black	304588	425
Brass	304595	425

LED source 2700/3000/4000 K, 30.000 h life.

LED 55W / 6100 lm



1,500 Kg
0,0380 m³
LED 47W
5000/5500 lm

ON-OFF


FINISH	CCT	CODE	€
White	2700 K	342344	225
White	3000 K	253671	225
White	4000 K	342375	225
Black	2700 K	342351	225
Black	3000 K	269436	225
Black	4000 K	342382	225
Brass	2700 K	342368	225
Brass	3000 K	269443	225
Brass	4000 K	342399	225

DALI/PUSH

FINISH	CODE	€
White	304540	350
Black	304557	350
Brass	304564	350

LED source 2700/3000/4000 K, 30.000 h life.

LED 48W / 5100 lm




1,250 Kg
0,0162 m³
LED 38W / 4350 lm

ON-OFF

FINISH	CODE	€
White	352435	145
Black	364957	145
Brass	364971	145

LED source 3000 K, 30.000 h life.


CEILING



ON-OFF		
FINISH	CODE	€
White	352428	360
Black	364995	360
Brass	365022	360

LED source 3000 K, 30.000 h life.


3,000 Kg
0,0865 m³
LED 75W / 8300 lm



ON-OFF		
FINISH	CODE	€
White	352459	230
Black	365053	230
Brass	365060	230

LED source 3000 K, 30.000 h life.

2,500 Kg
0,0564 m³
LED 52W / 6100 lm




ON-OFF			
FINISH	CCT	CODE	€
White	2700 K	342283	195
White	3000 K	253688	195
White	4000 K	342313	195
Black	2700 K	342290	195
Black	3000 K	269412	195
Black	4000 K	342320	195
Brass	2700 K	342306	195
Brass	3000 K	269429	195
Brass	4000 K	342337	195

1,500 Kg
0,0377 m³
LED 47W
5000/5500 lm

DALI/PUSH
LED 48W / 5100 lm

DALI/PUSH		
FINISH	CODE	€
White	304519	330
Black	304526	330
Brass	304533	330

LED source 2700/3000/4000 K, 30.000 h life.



ON-OFF		
FINISH	CODE	€
White	352442	110
Black	365039	110
Brass	365046	110

LED source 3000 K, 30.000 h life.


1,200 Kg
0,0162 m³
LED 38W / 4350 lm

OZ

WALL



IP20



ON-OFF

FINISH	CCT	CODE	€
White	2700 K	342221	135
White	3000 K	253695	135
White	4000 K	342252	135
Black	2700 K	342238	135
Black	3000 K	269399	135
Black	4000 K	342269	135
Brass	2700 K	342245	135
Brass	3000 K	269405	135
Brass	4000 K	342276	135

0,800 Kg
0,0087 m³
LED 26W
2450/2650 lm

LED 28W / 2500 lm

DALI/PUSH


FINISH	CODE	€
White	304489	205
Black	304496	205
Brass	304502	205

 LED source
2700/3000/4000 K, 30.000
h life.

TABLE



IP20



ON-OFF

FINISH	CCT	CODE	€
White	2700 K	342467	125
White	3000 K	269474	125
White	4000 K	342498	125
Black	2700 K	342474	125
Black	3000 K	269481	125
Black	4000 K	342504	125
Brass	2700 K	342481	125
Brass	3000 K	269498	125
Brass	4000 K	342511	125

1,130 Kg
0,0142 m³
LED 22W
2500/280 lm

 LED source
2700/3000/4000 K, 30.000
h life.





PERLAGE

Metal frame, with linear structure with round or circular section and square section for the suspension and ceiling versions. Blown glass diffusers. PVC electrical cable only in the suspension version. Available finishes: matt black with amber or smoked Pyrex glass, or satin brass with white acid-etched glass. The pendant version is also available in satin brass with amber glass.



SUSPENSIONS INDOORS IDEAL LUX

PERLAGE



































PERLAGE

SUSPENSION  IP20



8,920 Kg
0,0,2377 m³
G9 max 30 x 15W



9,100 Kg
0,1715 m³
G9 max 25 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	296746	1610
Smoky Grey	296753	1610
Amber	322780	1610

 Bulbs LED G9 3W 3000 K included. Cod. 209043

(RECOMMENDED)


LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	363370	1250
Smoky Grey	363387	1250
Amber	370583	1250

 Bulbs LED G9 3W 3000 K included. Cod. 209043

PERLAGE

SUSPENSION




(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		283814	713
Smoky Grey		271385	713
Amber		322797	713

LED Bulbs LED G9 3W 3000 K included. Cod. 209043

3,900 Kg
0,1020 m³
G9 max 14 x 15W




(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		283807	610
Smoky Grey		271392	610
Amber		322773	610

LED Bulbs LED G9 3W 3000 K included. Cod. 209043

3,100 Kg
0,0800 m³
G9 max 11 x 15W




(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH	CODE	€	
White	283791	448	
Smoky Grey	271408	448	
Amber	322766	448	

LED Bulbs LED G9 3W 3000 K included. Cod. 209043

2,200 Kg
0,0650 m³
G9 max 10 x 15W




(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH	CODE	€	
White	283821	299	
Smoky Grey	271422	299	
Amber	317793	299	

LED Bulbs LED G9 3W 3000 K included. Cod. 209043

1,300 Kg
0,0359 m³
G9 max 6 x 15W

CEILING




(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		328393	851
Smoky Grey		328386	851
Amber		328379	851

LED Bulbs LED G9 3W 3000 K included. Cod. 209043

7,520 Kg
0,2760 m³
G9 max 18 x 15W



(RECOMMENDED)


LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH	CODE	€	
White	327815	518	
Smoky Grey	309286	518	
Amber	327808	518	

LED Bulbs LED G9 3W 3000 K included. Cod. 209043

3,300 Kg
0,0759 m³
G9 max 10 x 15W

PERLAGE

CEILING




3,870 Kg
0,1348 m³
G9 max 9 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		328423	437
Smoky Grey		328416	437
Amber		328409	437

Bulbs LED G9 3W 3000 K included. Cod. 209043




1,810 Kg
0,0348 m³
G9 max 6 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		309279	265
Smoky Grey		309262	265
Amber		327822	265

Bulbs LED G9 3W 3000 K included. Cod. 209043

WALL




0,800 Kg
0,0182 m³
G9 max 3 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		283784	175
Smoky Grey		271439	175
Amber		322742	175

Bulbs LED G9 3W 3000 K included. Cod. 209043




0,400 Kg
0,0054 m³
G9 max 1 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		292410	75
Smoky Grey		292403	75
Amber		317809	75

Bulbs LED G9 3W 3000 K included. Cod. 209043

TABLE




2,000 Kg
0,0225 m³
G9 max 3 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		292472	200
Smoky Grey		292465	200
Amber		322759	200

Bulbs LED G9 3W 3000 K included. Cod. 209043



0,600 Kg
0,0054 m³
G9 max 1 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10
FINISH		CODE	€
White		292458	85
Smoky Grey		292441	85
Amber		317823	85


Bulbs LED G9 3W 3000 K included. Cod. 209043

PERLAGE

FLOOR



IP20



4,800 Kg
0,0559 m³
G9 max 4 x 15W

(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	277967	325
Smoky Grey	306988	325
Amber	317816	325

 Bulbs LED G9 3W 3000 K
included. Cod. 209043





PIANO

Total powder painted aluminium
fCopper. Opal polycarbonate
diffuser with emission on the
back. Adjustable frontal projector.
Colours: white or black.










PIANO

WALL



IP20



0,800 Kg
0,0051 m³
LED 10W / 910 lm

FINISH	CODE	€
White	287317	165
Black	287300	165

LED LED source 3000 K, 20.000 h life.





PIPE

Powder-coated aluminium light body. Adjustable diffuser with knurled acrylic screen, secured with a ring nut. Built-in switch. Colours: white or black.












PIPE

WALL



IP20



FINISH	CODE	€
White	280998	100
Black	281001	100

 LED source 3000 K, 20.000 h life.



0,400 Kg
0,0009 m³
LED 7W / 670 lm




RUDY

Die-cast aluminium frame
powder coated in white or black.
Rotating and tilting adjustable
diffusers.

CEILING

WALL



















RUDY ROUND

WALL / CEILING  IP20




1,230 Kg
0,0055 m³
GU10 max 4 x 35W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		229089	190
Black		229072	190

 Bulbs LED G10 7W 3000 K included. Cod. 123943




1,080 Kg
0,0041 m³
GU10 max 3 x 35W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		229065	130
Black		229058	130

 Bulbs LED G10 7W 3000 K included. Cod. 123943




(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		229041	101
Black		229034	101

 Bulbs LED G10 7W 3000 K included. Cod. 123943

0,570 Kg
0,0025 m³
GU10 max 2 x 35W



(RECOMMENDED)


LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH		CODE	€
White		229027	51
Black		229010	51

 Bulbs LED G10 7W 3000 K included. Cod. 123943


0,270 Kg
0,0011 m³
GU10 max 1 x 35W

RUDY SQUARE


WALL / CEILING  IP20



1,230 Kg
0,0078 m³
GU10 max 4 x 35W



1,080 Kg
0,0060 m³
GU10 max 3 x 35W



0,570 Kg
0,0027 m³
GU10 max 2 x 35W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH	CODE	€	
White	294803	106	
Black	321509	106	

 Bulbs LED G10 7W 3000 K included. Cod. 123943

(RECOMMENDED)


LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH	CODE	€	
White	294827	200	
Black	321523	200	

 Bulbs LED G10 7W 3000 K included. Cod. 123943

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH	CODE	€	
White	294810	155	
Black	321516	155	

 Bulbs LED G10 7W 3000 K included. Cod. 123943



0,270 Kg
0,0009 m³
GU10 max 1 x 35W

(RECOMMENDED)

LUMEN	CCT	CODE	€
540 lm	3000 K	123943	2,50
FINISH	CODE	€	
White	294766	56	
Black	321530	56	

 Bulbs LED G10 7W 3000 K included. Cod. 123943



SET UP

Powder-coated or plated metal frames, available in white, black, satin nickel or brushed brass. PVC cable for table and floor versions. The wall version is also available in a two-light configuration with a flexible rubber-coated arm and independent switches. Lampshades in fire-retardant PVC covered with fabric, available in beige, white, black or dove grey.































ogoo



















SET UP ASSEMBLY PLAN

SOURCE DIY MODULAR PRODUCT




SHADES + ACRYLIC DISCS




SET UP ASSEMBLY PLAN

SOURCE  MODULAR PRODUCT



4 LIGHTS

















3 LIGHTS



1 LIGHT

SHADES + ACRYLIC DISCS




SET UP ASSEMBLY PLAN


SOURCE



MODULAR PRODUCT







2 LIGHTS




1 LIGHT

SHADES




SET UP ASSEMBLY PLAN


SOURCE  MODULAR PRODUCT



1 LIGHT









1 LIGHT



1 LIGHT

SHADES




SET UP - MOUNTINGS

CEILING

IP20

DIY




0,300 Kg
0,0010 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50


FINISH	CODE	€
White	277288	35



0,850 Kg
0,0035 m³
E27 max 3 x 15W

THREE LIGHTBULBS VERSION

White	348278	58
-------	--------	----



1,000 Kg
0,0047 m³
E27 max 4 x 15W


FOUR LIGHTBULBS VERSION

White	320373	80
-------	--------	----

WALL

IP20

DIY



0,900 Kg
0,0063 m³
LED 3W / 200 lm

(RECOMMENDED)

LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50

FINISH	CODE	€
White	259819	133
Nickel	259833	133
Black	259826	133
Brass	259857	133


- LED

LED source 3000 K
20.000 h life.
-
- USB

SUSPENSION

IP20

DIY




0,350 Kg
0,0019 m³
E27 max 1 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50


FINISH	CODE	€
White	260013	30
Nickel	260044	30
Black	260020	30
Brass	260051	30



1,000 Kg
0,0072 m³
E27 max 3 x 42W

FOUR LIGHTBULBS VERSION


White	348193	102
Nickel	348209	102
Black	348216	102
Brass	348223	102



1,200 Kg
0,0081 m³
E27 max 4 x 42W

FOUR LIGHTBULBS VERSION

White	348230	126
Nickel	348247	126
Black	348254	126
Brass	348261	126



0,370 Kg
0,0032 m³
E27 max 1 x 42W

(RECOMMENDED)



LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50

FINISH	CODE	€
White	259765	63
Nickel	259796	63
Black	259772	63
Brass	259802	63


-
- USB

SET UP - MOUNTINGS

TABLE





(RECOMMENDED)			
LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50
FINISH		CODE	€
White		259918	90
Nickel		259949	90
Black		259925	90
Brass		259956	90



(RECOMMENDED)			
LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50
FINISH		CODE	€
White		259864	70
Nickel		259895	70
Black		259871	70
Brass		259901	70



FLOOR




(RECOMMENDED)			
LUMEN	CCT	CODE	€
820 lm	3000 K	123899	3,50
FINISH		CODE	€
White		259963	166
Nickel		259994	166
Black		259970	166
Brass		260006	166



SET UP - SHADES


SET UP



2,000 Kg
0,1458 m³

(COMPATIBLE WITH SUSPENSION, CEILING VERSIONS VERSIONS)


FINISH	CODE	€
White	345918	172
Dove Grey	345932	172
Black	345925	172
Beige	339269	172



1,260 Kg
0,0726 m³

(COMPATIBLE WITH SUSPENSION, CEILING VERSIONS)


FINISH	CODE	€
White	260471	138
Dove Grey	304632	138
Black	270029	138
Beige	260488	138



0,820 Kg
0,0172 m³

(COMPATIBLE WITH SUSPENSION, CEILING, FLOOR VERSIONS)


FINISH	CODE	€
White	260457	92
Dove Grey	304625	92
Black	270012	92
Beige	260464	92



0,230 Kg
0,0236 m³

(COMPATIBLE WITH CEILING, WALL, TABLE VERSIONS)


FINISH	CODE	€
White	260433	63
Dove Grey	304618	63
Black	270005	63
Beige	260440	63



0,200 Kg
0,0050 m³

(COMPATIBLE WITH WALL, TABLE VERSIONS)


FINISH	CODE	€
White	260327	32
Dove Grey	304601	32
Black	269986	32
Beige	260334	32



0,460 Kg
0,0709 m³

(COMPATIBLE WITH FLOOR VERS.)


FINISH	CODE	€
White	260136	75
Dove Grey	304120	75
Black	260235	75
Beige	260242	75



0,130 Kg
0,0180 m³

(COMPATIBLE WITH WALL, TABLE VERSIONS)

FINISH	CODE	€
White	260068	34
Dove Grey	304113	34
Black	260075	34
Beige	260082	34




0,110 Kg
0,0180 m³

(COMPATIBLE WITH WALL, TABLE VERSIONS)

FINISH	CODE	€
White	260341	29
Dove Grey	293004	29
Black	270036	29
Beige	260358	29

SET UP - SHADES


SET UP SLIM



(COMPATIBLE WITH SUSPENSION,
CEILING VERSIONS)

FINISH	CODE	€
White	346069	138
Dove Grey	339283	138
Black	346083	138
Beige	346052	138


1,200 Kg
0,1989 m³



(COMPATIBLE WITH SUSPENSION,
CEILING VERSIONS)

FINISH	CODE	€
White	339290	115
Dove Grey	346045	115
Black	346038	115
Beige	346014	115

0,750 Kg
0,1242 m³




(COMPATIBLE WITH SUSPENSION,
CEILING VERSIONS)

FINISH	CODE	€
White	345987	80
Dove Grey	346007	80
Black	345994	80
Beige	345970	80

0,440 Kg
0,0438 m³


SET UP ULTRASLIM



(COMPATIBLE WITH SUSPENSION,
CEILING VERSIONS)

FINISH	CODE	€
White	346182	126
Dove Grey	346205	126
Black	339313	126
Beige	346175	126


0,800 Kg
0,1149 m³



(COMPATIBLE WITH SUSPENSION,
CEILING VERSIONS)

FINISH	CODE	€
White	346144	103
Dove Grey	346168	103
Black	346151	103
Beige	346137	103

0,600 Kg
0,0674 m³




(COMPATIBLE WITH SUSPENSION,
CEILING VERSIONS)

FINISH	CODE	€
White	339337	69
Dove Grey	346120	69
Black	346113	69
Beige	346090	69

0,500 Kg
0,0287 m³

ACRYLIC DISCS



(COMPATIBLE WITH SUSPENSION,
CEILING VERSIONS)

BULBS	FINISH	MISURE	WEIGHT	VOLUME	CODE	€
	Clear	ø 900	0,500 Kg	0,0040 m ³	339252	80
	Clear	ø 700	0,700 Kg	0,0844 m ³	270050	58
	Clear	ø 450	0,280 Kg	0,0010 m ³	270043	35
	Clear	ø 300	0,100 Kg	0,0004 m ³	346847	17



SMARTIES

White painted metal frame or base.
White blown glass diffusers, acid-etched for wall and table versions.
The suspension version is equipped with adjustable length steel cables with automatic cable clamps. The wall version is equipped with a screwless fixing system. The table version includes an electric cable with plug and switch.


















SMARTIES

SUSPENSION




IP20



5,280 Kg
0,1110 m³
E27 max 5 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
340 lm	3000 K	101286	2,00
FINISH		CODE	€
White		031996	290



3,740 Kg
0,0721 m³
E27 max 3 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
340 lm	3000 K	101286	2,00
FINISH		CODE	€
White		032009	200



2,930 Kg
0,0645 m³
E27 max 3 x 42W


(RECOMMENDED)

LUMEN	CCT	CODE	€
340 lm	3000 K	101286	2
FINISH		CODE	€
White		032016	175

CEILING




IP20



4,690 Kg
0,1156 m³
E27 max 3 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
340 lm	3000 K	101286	2,00
FINISH		CODE	€
White		032023	280



3,070 Kg
0,1077 m³
E27 max 3 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
340 lm	3000 K	101286	2,00
FINISH		CODE	€
White		032030	195



2,810 Kg
0,0444 m³
E27 max 2 x 42W

(RECOMMENDED)

LUMEN	CCT	CODE	€
340 lm	3000 K	101286	2,00
FINISH		CODE	€
White		032047	170



1,440 Kg
0,0472 m³
E27 max 1 x 42W

(RECOMMENDED)


LUMEN	CCT	CODE	€
340 lm	3000 K	101286	2,00
FINISH		CODE	€
White		009223	115

SMARTIES

WALL / CEILING



IP20



(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	014814	46

0,440 Kg
0,0061 m³
G9 max 1 x 15W




Bulbs LED G9 3W 3000 K
included. Cod. 209043

TABLE



IP20




(RECOMMENDED)

LUMEN	CCT	CODE	€
430 lm	3000 K	101279	2,00

FINISH	CODE	€
White	327914	190

2,600 Kg
0,0846 m³
E27 max 1 x 42W




(RECOMMENDED)

LUMEN	CCT	CODE	€
430 lm	3000 K	101279	2,00

FINISH	CODE	€
White	327907	130

1,400 Kg
0,0416 m³
E27 max 1 x 42W



(RECOMMENDED)

LUMEN	CCT	CODE	€
510 lm	3000 K	305486	6,10

FINISH	CODE	€
White	032078	50

0,470 Kg
0,0060 m³
G9 max 1 x 15W



Bulbs LED G9 3W 3000 K
included. Cod. 209043





SPIKE

Powder coated or plated aluminum body. Available with GX53 or integrated LED source with satin opal polycarbonate diffuser. Colors: white, black, satin brass, chrome or copper.










SPIKE LED

CEILING



IP20



FINISH	CODE	€
White	345468	30
Black	336008	30
Brass	345475	30

LED source 3000 K, 25.000 h life.


0,340 Kg
0,0012 m³
LED 10W / 1100 lm

SPIKE

CEILING



IP20




(RECOMMENDED)

LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00

FINISH	CODE	€
White	277417	65
Chrome	310886	65
Black	278704	65
Brass	285238	65
Copper	310893	65

Bulbs LED GX53 9W 3000 K included. Cod. 123936

0,240 Kg
0,0017 m³
GX53 max 1 x 15W



(RECOMMENDED)

LUMEN	CCT	CODE	€
910 lm	3000 K	123936	5,00

FINISH	CODE	€
White	317489	85
Chrome	328799	85
Black	317496	85
Brass	317502	85
Copper	328812	85

Bulbs LED GX53 9W 3000 K included. Cod. 123936

0,220 Kg
0,0014 m³
GX53 max 1 x 15W



WAVES

Ceiling rose, frame and supports in matt painted metal. Steel support cables. PVC electrical cable. Opal rubber diffuser. Colours: white, black or gold.

















WAVES

SUSPENSION





IP20



FINISH	CODE	€
White	345291	419
Black	345277	419
Gold	345284	419

LED source
3000 K, 30.000 h life.



4,300 Kg
0,1492 m³
LED 54W / 5500 lm



FINISH	CODE	€
White	345260	333
Black	345246	333
Gold	345253	333

LED source
3000 K, 30.000 h life.

3,200 Kg
0,0973 m³
LED 45W / 4800 lm



FINISH	CODE	€
White	345239	258
Black	345215	258
Gold	345222	258

LED source
3000 K, 30.000 h life.

2,700 Kg
0,0566 m³
LED 37W / 4000 lm



ZIG ZAG

Plated or powder coated aluminum body. 360° indirect light emission.
Colors: white, black, brushed brass or concrete.




WALL LAMPS INDOORS IDEAL LUX

ZIG ZAG










ZIG ZAG ROUND


WALL  IP20



FINISH	CODE	€
White	361949	140
Black	369556	140
Brass	369570	140

0,990 Kg
0,0047 m³
LED 30W
3100 lm


 LED source
3000 K, 50.000 h life.



FINISH	CODE	€
White	361932	120
Black	369495	120
Brass	369532	120

0,780 Kg
0,0033 m³
LED 23W
2350 lm

 LED source
3000 K, 50.000 h life.



FINISH	CODE	€
White	361918	100
Black	364520	100
Brass	361925	100

0,550 Kg
0,0022 m³
LED 12,5W
1300 lm


 LED source
3000 K, 50.000 h life.

ZIG ZAG SQUARE

WALL



IP20




1,040 Kg
0,0053 m³
LED 30W
3000/3100 lm

*2,950 Kg
0,0220 m³
LED 26W
3000/3100 lm

FINISH	CCT	CODE	€
White	2700 K	342665	140
White	3000 K	277219	140
White	4000 K	277257	140
Black	3000 K	277226	140
Black	4000 K	369471	140
Brass	3000 K	287072	140
Concrete*	3000 K	356693	140

LED source
2700/3000/4000 K, 50.000
h life.




0,550 Kg
0,0021 m³
LED 12,5W
1250/1350 lm

*1,100 Kg
0,0071 m³

FINISH	CCT	CODE	€
White	2700 K	342641	95
White	3000 K	179292	95
White	4000 K	277233	95
Black	3000 K	179315	95
Black	4000 K	369433	95
Brass	3000 K	282121	95
Concrete*	3000 K	356679	95

LED source
2700/3000/4000 K, 50.000 h
life.



0,770 Kg
0,0038 m³
LED 23W
2300/2350 lm

*2,150 Kg
0,0138 m³

FINISH	CCT	CODE	€
White	2700 K	342658	110
White	3000 K	179308	110
White	4000 K	277240	110
Black	3000 K	179322	110
Black	4000 K	369457	110
Brass	3000 K	282138	110
Concrete*	3000 K	356686	110

LED source
2700/3000/4000 K, 50.000
h life.



ZIGGY

Powder-coated metal light body.
Diffusing internal walls in satin opal
polycarbonate.












ZIGGY

CEILING




IP20



6,660 Kg
0,0988 m³
LED 62W / 7100 lm

FINISH	CODE	€
White	317908	430
Black	321615	430


LED source 3000 K, 50.000 h life.



4,000 Kg
0,0573 m³
LED 43W / 4400 lm

FINISH	CODE	€
White	293790	245
Black	307213	245


LED source 3000 K, 50.000 h life.



2,660 Kg
0,0336 m³
LED 30W / 3150 lm

FINISH	CODE	€
White	293783	200
Black	307206	200

LED source 3000 K, 50.000 h life.



1,350 Kg
0,0096 m³
LED 21W / 2750 lm

FINISH	CODE	€
White	293776	160
Black	293769	160


LED source 3000 K, 50.000 h life.

BULBS
INDEX


P.480	E14
P.482	E27
P.488	G4
P.488	G9
P.489	GX53
P.489	R7S
P.490	GU10



BULBS E14



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	480 lm	3000 K	80		25.000 h	Glass	Clear	10	101200	2,00
E14	4 W	400 lm	3000 K	80	TRIAC	15.000 h	Glass	Clear	10	188935	2,50
E14	4 W	520 lm	4000 K	80		25.000 h	Glass	Clear	10	153926	2,00
E14	4 W	440 lm	3000 K	90		25.000 h	Glass	Clear	10	271620	2,00




LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	340 lm	2200 K	80		15.000 h	Glass	Amber	10	151656	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	410 lm	3000 K	80		25.000 h	Glass	White	10	101217	2,00
E14	4 W	340 lm	3000 K	80	TRIAC	25.000 h	Glass	White	10	289229	2,50
E14	4 W	480 lm	4000 K	80		25.000 h	Glass	White	10	253411	2,00
E14	4 W	340 lm	3000 K	90		25.000 h	Glass	White	10	289212	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	6 W	550 lm	3000 K	80		25.000 h	Plastic	White	10	151731	2,00
E14	6 W	580 lm	4000 K	80		25.000 h	Plastic	White	10	151946	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	370 lm	3000 K	80		25.000 h	Glass	Chrome	10	101262	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	350 lm	3000 K	80		25.000 h	Glass	Chrome	10	101255	2,50

BULBS E14



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	470 lm	3000 K	80		25.000 h	Glass	Clear	10	101248	2,00
E14	4 W	420 lm	3000 K	80	TRIAC	15.000 h	Glass	Clear	10	188911	2,50
E14	4 W	490 lm	4000 K	80		25.000 h	Glass	Clear	10	153940	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	400 lm	2200 K	80		15.000 h	Glass	Amber	10	151663	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	440 lm	3000 K	80		25.000 h	Glass	White	10	151793	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	470 lm	2700 K	80		25.000 h	Glass	Clear	10	270944	2,00
E14	4 W	480 lm	3000 K	80		25.000 h	Glass	Clear	10	101224	2,00
E14	4 W	440 lm	3000 K	90		25.000 h	Glass	Clear	10	271644	2,00
E14	4 W	320 lm	3000 K	80	TRIAC	15.000 h	Glass	Clear	10	188928	2,50
E14	4 W	490 lm	4000 K	80		25.000 h	Glass	Clear	10	153933	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	400 lm	2200 K	80		15.000 h	Glass	Amber	10	151649	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	440 lm	3000 K	80		25.000 h	Glass	White	10	101231	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	4 W	430 lm	3000 K	80		15.000 h	Glass	Satin	10	326610	2,00




LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E14	6 W	540 lm	3000 K	80		25.000 h	Plastic	White	10	151748	2,00
E14	6 W	560 lm	4000 K	80		25.000 h	Plastic	White	10	151953	2,00

BULBS E27



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	470 lm	2700 K	80		25.000 h	Glass	Clear	10	271637	2,00
E27	4 W	470 lm	3000 K	80		25.000 h	Glass	Clear	10	101279	2,00
E27	4 W	400 lm	3000 K	80	TRIAC	15.000 h	Glass	Clear	10	188942	2,50
E27	4 W	490 lm	4000 K	80		25.000 h	Glass	Clear	10	153957	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	340 lm	2200 K	80		15.000 h	Glass	Amber	10	151861	2,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	400 lm	3000 K	80		25.000 h	Glass	White	10	101286	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	6 W	550 lm	3000 K	80		25.000 h	Plastic	White	10	151755	2,00
E27	6 W	580 lm	4000 K	80		25.000 h	Plastic	White	10	151960	2,00




LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	490 lm	3000 K	80		25.000 h	Glass	Clear	10	101293	2,00
E27	4 W	520 lm	4000 K	80		25.000 h	Glass	Clear	10	253428	2,00
E27	8 W	1060 lm	2700 K	80		25.000 h	Glass	Clear	10	270951	3,50
E27	8 W	1080 lm	3000 K	80		25.000 h	Glass	Clear	10	119571	3,50
E27	8 W	710 lm	3000 K	80	TRIAC	15.000 h	Glass	Clear	10	188973	5,00
E27	8 W	980 lm	4000 K	80		25.000 h	Glass	Clear	10	153964	3,50
E27	8 W	880 lm	3000 K	90		25.000 h	Glass	Clear	10	271613	3,50
E27	10 W	1350 lm	3000 K	80		25.000 h	Glass	Clear	10	256528	4,50
E27	10 W	1400 lm	4000 K	80		25.000 h	Glass	Clear	10	270920	4,50
E27	10 W	1200 lm	2700 K	90		25.000 h	Glass	Clear	10	342870	4,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	500 lm	3000 K	80		25.000 h	Glass	Clear	10	335261	2,50

BULBS E27



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	370 lm	2200 K	80		15.000 h	Glass	Amber	10	151687	2,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	820 lm	3000 K	80		25.000 h	Glass	White	10	123899	3,50
E27	8 W	820 lm	3000 K	80	TRIAC	25.000 h	Glass	White	10	252209	5,00
E27	8 W	840 lm	4000 K	80		25.000 h	Glass	White	10	253459	3,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	9 W	970 lm	3000 K	80		25.000 h	Plastic	White	10	151762	2,00
E27	9 W	1020 lm	4000 K	80		25.000 h	Plastic	White	10	151991	2,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	920 lm	3000 K	80		25.000 h	Glass	Satin	10	305622	5,00
E27	10 W	1200 lm	3000 K	80		25.000 h	Glass	Satin	10	305639	4,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	810 lm	3000 K	80		25.000 h	Glass	Chrome	10	123882	3,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	14 W	1450 lm	2700 K	90		25.000 h	Plastic	Clear	10	345857	15,50
E27	14 W	1650 lm	3000 K	90		25.000 h	Plastic	Clear	10	337135	15,50
E27	14 W	1750 lm	4000 K	90		25.000 h	Plastic	Clear	10	345864	15,50


BULBS E27



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	1100 lm	3000 K	80		25.000 h	Glass	Clear	10	101323	4,50
E27	8 W	1050 lm	3000 K	90		25.000 h	Glass	Clear	10	271606	4,50
E27	8 W	710 lm	3000 K	80	TRIAC	15.000 h	Glass	Clear	10	188966	6,50
E27	8 W	1150 lm	4000 K	80		25.000 h	Glass	Clear	10	153971	4,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	550 lm	3000 K	80		25.000 h	Glass	White	10	345840	6,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	400 lm	2200 K	80		15.000 h	Glass	Amber	10	151717	5,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	Glass	Amber	10	223933	6,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	950 lm	3000 K	80		25.000 h	Glass	White	10	101330	4,50
E27	8 W	860 lm	3000 K	80	TRIAC	25.000 h	Glass	White	10	252186	7,00
E27	8 W	1060 lm	4000 K	80		25.000 h	Glass	White	10	253442	4,50




LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	14 W	1630 lm	3000 K	80		25.000 h	Plastic	White	10	151779	4,00
E27	14 W	1820 lm	4000 K	80		25.000 h	Plastic	White	10	151977	4,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	Glass	Satin	10	277790	8,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	1100 lm	3000 K	80		25.000 h	Glass	Satin	10	157597	8,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	930 lm	3000 K	80		25.000 h	Glass	Chrome	10	135526	6,00

BULBS E27



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	950 lm	2700 K	90		25.000 h	Glass	Clear	10	342863	7,00
E27	8 W	1100 lm	3000 K	80		25.000 h	Glass	Clear	10	101347	6,00
E27	8 W	860 lm	3000 K	90		25.000 h	Glass	Clear	10	271590	6,00
E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	Glass	Clear	10	188959	7,00
E27	8 W	1150 lm	4000 K	80		25.000 h	Glass	Clear	10	153988	6,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	480 lm	2200 K	80		15.000 h	Glass	Amber	10	151724	6,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	Glass	Amber	10	223926	7,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	950 lm	3000 K	80		25.000 h	Glass	White	10	101354	6,00
E27	8 W	1050 lm	4000 K	80		25.000 h	Glass	White	10	253435	6,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	18 W	2210 lm	3000 K	80		25.000 h	Plastic	White	10	151786	6,00
E27	18 W	2300 lm	4000 K	80		25.000 h	Plastic	White	10	152004	6,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	Glass	Satin	10	277813	10,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	1050 lm	3000 K	80		25.000 h	Glass	Satin	10	157580	10,00


BULBS E27



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	330 lm	2200 K	80		15.000 h	Glass	Amber	10	151700	4,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	440 lm	2200 K	80		15.000 h	Glass	Amber	10	151694	4,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	Glass	Amber	10	223919	5,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	360 lm	1800 K	80		15.000 h	Glass	Amber	10	201283	5,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	360 lm	1800 K	80		15.000 h	Glass	Amber	10	201269	9,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	360 lm	1800 K	80		15.000 h	Glass	Amber	10	201290	10,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	360 lm	1800 K	80		15.000 h	Glass	Amber	10	201276	10,00

BULBS E27



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	6 W	450 lm	1800 K	80		15.000 h	Glass	Amber	10	201252	11,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	320 lm	1800 K	80		15.000 h	Glass	Amber	1	130170	33,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	320 lm	1800 K	80		15.000 h	Glass	Amber	1	129877	33,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	Glass	Amber	1	223940	33,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	400 lm	2200 K	80		25.000 h	Glass	Amber	1	130187	25,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	Glass	Amber	1	223834	30,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	4 W	320 lm	2200 K	80		25.000 h	Glass	Amber	1	237251	22,50




LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
E27	8 W	800 lm	2200 K	80		25.000 h	Glass	Amber	1	130163	25,00

BULBS G4



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
G4	1,5 W	160 lm	3000 K	80		15.000 h	Silicone	Clear	20	188980	4,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
G4	2 W	200 lm	3000 K	80		20.000 h	Silicone	Clear	20	222257	4,00
G4	2 W	200 lm	3000 K	80	Phase-cut	20.000 h	Silicone	Clear	20	266282	5,00

BULBS G9



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
G9	1,7 W	150 lm	3000 K	80		15.000 h	Plastic	White	20	270104	6,50
G9	1,7 W	150 lm	4000 K	80		15.000 h	Plastic	White	20	270111	6,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
G9	2,5 W	170 lm	3000 K	80		25.000 h	Plastic	White	20	122168	3,60
G9	2,5 W	180 lm	4000 K	80		25.000 h	Plastic	White	20	253381	3,60



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
G9	3 W	350 lm	2700 K	80		15.000 h	Plastic	White	20	270968	3,60
G9	3 W	370 lm	3000 K	80		15.000 h	Plastic	White	20	209043	3,60
G9	3 W	350 lm	3000 K	80	TRIAC	25.000 h	Plastic	White	20	288215	5,10
G9	3 W	390 lm	4000 K	80		15.000 h	Plastic	White	20	209036	3,60
G9	3,5 W	310 lm	3000 K	90		15.000 h	Plastic	White	20	288208	3,60



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
G9	4 W	500 lm	2700 K	90		15.000 h	Plastic	Clear	20	342887	6,10
G9	4 W	510 lm	3000 K	80		15.000 h	Plastic	Clear	20	305486	6,10
G9	3,5 W	420 lm	3000 K	80	TRIAC	15.000 h	Plastic	Clear	20	305431	8,60
G9	4 W	530 lm	4000 K	80		15.000 h	Plastic	Clear	20	307879	6,10
G9	3,5 W	440 lm	4000 K	80	TRIAC	15.000 h	Plastic	Clear	20	307886	8,60

BULBS GX53



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GX53	7 W	730 lm	3000 K	80		25.000 h	Plastic	White	10	101385	5,00
GX53	7 W	760 lm	4000 K	80		25.000 h	Plastic	White	10	253404	5,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GX53	9 W	910 lm	3000 K	80		25.000 h	Plastic	White	10	123936	5,00
GX53	9 W	890 lm	3000 K	80	TRIAC	25.000 h	Plastic	White	10	252551	9,00
GX53	9 W	1000 lm	4000 K	80		25.000 h	Plastic	White	10	154008	5,00
GX53	9 W	900 lm	4000 K	80	TRIAC	25.000 h	Plastic	White	10	252568	9,00
GX53	9 W	800 lm	2700 K	90		25.000 h	Plastic	White	10	342900	5,00
GX53	9 W	940 lm	3000 K	90		25.000 h	Plastic	White	10	288383	5,00

BULBS R7s



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
R7s	5 W	560 lm	3000 K	80		20.000 h	Plastic	Clear	10	189109	11,00
R7s	6 W	450 lm	3000 K	80	TRIAC	20.000 h	Plastic	Clear	10	266770	12,00
R7s	7 W	580 lm	4000 K	80		20.000 h	Plastic	Clear	10	272375	11,00
R7s	6 W	480 lm	4000 K	80	TRIAC	20.000 h	Plastic	Clear	10	272382	12,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
R7s	13 W	760 lm	3000 K	80		20.000 h	Plastic	Clear	10	189093	14,00
R7s	8 W	580 lm	3000 K	80	TRIAC	20.000 h	Plastic	Clear	10	266763	15,00
R7s	13 W	830 lm	4000 K	80		20.000 h	Plastic	Clear	10	253480	14,00
R7s	8 W	640 lm	4000 K	80	TRIAC	20.000 h	Plastic	Clear	10	266756	15,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	DIMMABLE	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
R7s	14 W	1700 lm	3000 K	80		15.000 h	Plastic	Clear	10	307862	11,00
R7s	14 W	2100 lm	3000 K	80	TRIAC	15.000 h	Plastic	Clear	10	307855	11,00
R7s	14 W	1700 lm	4000 K	80		15.000 h	Plastic	Clear	10	296869	11,00
R7s	14 W	2450 lm	4000 K	80	TRIAC	15.000 h	Plastic	Clear	10	296876	11,00


BULBS GU10



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	4 W	250 lm	3000 K	90	38°	TRIAC	15.000 h	Plastic	Clear	10	356532	4,50
GU10	4 W	280 lm	3000 K	90	60°		25.000 h	Plastic	Clear	10	339771	2,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	6 W	430 lm	3000 K	90	50°	TRIAC	25.000 h	Glass	White	10	266251	4,50
GU10	5 W	430 lm	4000 K	90	50°		25.000 h	Glass	White	10	253497	2,50
GU10	6 W	450 lm	4000 K	90	50°	TRIAC	25.000 h	Glass	White	10	285566	4,50
GU10	7 W	540 lm	3000 K	90	50°		25.000 h	Glass	White	10	123943	2,50
GU10	7 W	460 lm	3000 K	90	50°	TRIAC	25.000 h	Glass	White	10	288239	4,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	7 W	620 lm	3000 K	90	108°		25.000 h	Glass	White	10	101378	2,50
GU10	7 W	650 lm	4000 K	90	108°		25.000 h	Glass	White	10	117652	2,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	8 W	580 lm	3000 K	90	56°		25.000 h	Glass	White	10	189062	3,00
GU10	8 W	620 lm	4000 K	90	56°		25.000 h	Glass	White	10	270975	3,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	5 W	380 lm	2700 K	95	50°		25.000 h	Glass	White	10	307619	2,50
GU10	5 W	410 lm	3000 K	90	50°		25.000 h	Glass	White	10	108292	2,50
GU10	7 W	540 lm	4000 K	90	50°		25.000 h	Glass	White	10	224367	2,50



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	7 W	600 lm	2700 K	95	108°		25.000 h	Glass	White	10	307626	2,50

BULBS GU10



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	12 W	1030 lm	3000 K	90	40°		25.000 h	Plastic	Chrome	10	327037	11,00
GU10	12 W	790 lm	3000 K	90	22°	TRIAC	25.000 h	Metallo	Chrome	10	326290	12,00
GU10	12 W	970 lm	4000 K	90	20°		25.000 h	Plastic	Chrome	10	327051	11,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	12 W	1050 lm	2700 K	90	40°		25.000 h	Plastic	White	10	342894	11,00
GU10	12 W	1050 lm	3000 K	90	40°		25.000 h	Metal	White	10	327044	11,00
GU10	12 W	1000 lm	3000 K	90	40°	TRIAC	25.000 h	Metal	White	10	327075	12,00
GU10	12 W	1120 lm	4000 K	90	40°		25.000 h	Plastic	White	10	327068	11,00



LAMP SOCKET	POWER	FLUX	CCT	CRI	BEAM	DIMM	LIFE	MATERIAL	FINISH	MIN. QTY	CODE	€
GU10	10 W	750 lm	3000 K	80	22°		15.000 h	Metal	Chrome	10	189031	11,00
GU10	10 W	720 lm	3000 K	80	22°	TRIAC	15.000 h	Metal	Chrome	10	288543	12,00
GU10	10 W	780 lm	4000 K	80	22°		15.000 h	Metal	Chrome	10	253398	11,00

LIST OF FINISHES



CLEAR



WHITE



OPAL



IRIDESCENT



STEEL



SILVER



CHROME



ALUMINUM



GREY




NICKEL



SMOKY GREY



ANTHRACITE



BLACK



AMBER



ALABASTER



BEIGE




DOVE GREY



GOLD



BRASS



COPPER



COFFEE



ANTIQUE BRASS

The finishes represented are for illustrative purpose only. The tones are subjected to variations due to the material type used and to its manufacturing which can modify the output,

as a consequence the items classified under the same finish can present some differences concerning color perception.

Technical icons



Class I Elctrical safety guaranteed by main insulation and additional protective conductor (earthing) connected with metal lamp frame. Earthing is obligatory.



Class III Electrical safety guaranteed by very low power supply (less than 50 Volt). Earthing excluded.



Class II Elctrical safety guaranteed by main insulation and double or reinforced insulation. Earthing not necessary.



Mark of conformity to European Community Safety regulations.

Symbols



Items with LED lights: very low consumption, highly bright and focused light, strength and durability.



Luminaire with dimmer.



Integrated switch button.



Lamp with integrated USB socket.



Lamp with touch switch: switching on and dimming by touching the base with a finger.



Lamp with rechargeable battery included.



Lampada con rilevazione di presenza inclusa PIR (Passive InfraRed).



Modular product



High-tech product with high quality materials, intended for professional use.

NOTES::

- The indicated prices are public prices VAT excluded.
- Ideal lux s.r.l. reserves the right to make, at any time and without notice, all the changes necessary to improve the quality of the items included in this catalogue. For the most updated features, please check the documentation available on our website (www.ideal-lux.com).
- Our products with Class I and II work with nominal Voltage of 220-240 Vac 50/60 Hz. All our products comply with EU legislation.
- Whenever purchased separately as "optional", the DIMMABLE DRIVER will be already included in the product as replacement for the default on-off driver: only one driver will be supplied.
- The Watt indicated in the catalogue express the NOMINAL power of the lighting fitting including

- source and driver, when present. The Lumen measures referred to the lighting fittings with integrated LED source are nominal, namely referred to the source. We Kindly invite you to check photometry files for the actual Lumen of the single lighting fittings. For further information and updates.
- The UGR rate is not a characteristic of the fitting itself, but of the installation. The UGR values reported in this catalogue are calculated taking into consideration an ideal installation and are regrouped into blocks <10 <13 <16 <19 <22. It is recommended to calculate the specific UGR according to your installation.
 - The useful life of the LED sources of all the products in the catalogue refers, when it is not differently declared, to the L70B50 value.



Alma, Bean, Binomio, Birds, Carta, Clip, Comet, Cotton, Cover,
Delta, Diesis, Dodo, Dorsale, Dynamite, Easy, Ego, Equinoxe,
Essence, Fly, Focus, Futura, Gemini, Kalique, Lite, Look, Mapa,
Mint, Mix up, Moby, Nemo, Ninfea, Nitro, Oracle slim, Oz, Perlage,
Piano, Pipe, Rudy, Set up, Smarties, Spike, Waves, Zig zag, Ziggy.